

PRESENTATION SOFTWARE / E-READERS W4-W6

INSTRUCTIONAL MATERIALS W7

HEADPHONE DIST. / PERSONAL MONITORING W8

ASSISTIVE LISTENING W9

LECTERNS / OUTDOOR SIGNS / FURNITURE W10-W12

SOUND REINFORCEMENT W13

INDUSTRIAL DUPLICATORS / PUBLISHERS W14

VIDEO CAMERA PACKAGES W15-W16

VIDEO PRES. HARDWARE / LIVE BROADCAST W17-W18

DIGITAL SIGNAGE W19-W20

STAGING SYS. / RISERS / WHEELCHAIR RAMPS W21-W22

PIANOS / ORGANS / KEYBOARD AMPLIFIERS W23

STRINGED INSTR. / BASS & GUITAR AMPLIFIERS W24-W25

DRUMS W26

Welcome to the Full Compass Catalog for Spring/Summer 2011. The following 24 pages have been specifically designed to highlight products of interest for our House of Worship customers. With the rapid expansion of audio/video presentation solutions, software and educational products directed toward worship applications, we have included this supplement to feature a selection of products which go beyond the scope of the regular catalog.

To see even more products than we can represent in the limited pages of this catalog, please visit us online at fullcompass.com, or call a Sales Pro at 800-356-5844 for assistance and sales quotations. We have also produced a special supplement for our Education customers, available for download on our web site. fullcompass.com/publications

We hope you find this catalog and the 24-page House of Worship supplement useful.

CALL TO WORSHIP!

CALL TO WORSHIP!

mediashout

MEDIASHOUT VERSION 4.5 PRESENTATION SOFTWARE MediaShout provides your ministry with the presentation tools you need in a streamlined workspace, familiar to any Windows user. With new features like QuickTime support, Countdown Clock, PDF cues and a helpful Start Page, Version 4.5 continues to give your team new ways to communicate life's most important message to any size audience. With the purchase of MediaShout version 4, three computers are licensed. System requirements: PC - Windows machine running XP/Vista/Win7, dual-core processor, 2GB RAM, multiple video cards (DirectX 9+ compatible), and 512MB VRAM. Mac - Intel based Mac with 2GB RAM, Mac OS 10.6.





FEATURES INCLUDE:

- Play QuickTime files without additional codec tweaking. MediaShout now includes a full installation of QuickTime 7, giving you unprecedented access to the most popular video format.
- Play keyed countdown clocks to your audience and/or stage team. Perfect for letting your audience know how much time is left until your event starts, or giving your on-stage teams a reminder of how much time they have left.
- A three-pane workspace is comprised of Decks, the Script and Viewers, with additional built-in playback controls and panic buttons. While the layout may be customized to suit your preferences, the default workflow moves from left to right as you Build, Edit and Present.
- Formatting text for visually stunning presentations just got easier. Drag margins to place text exactly where you need it without any guesswork. Change font styles and layout for an entire cue or highlight text for detailed editing.
- Additional display of song lyrics, Bible verses or text for on-stage personnel.
- Automatically utilize foreground text or your own custom content and display full screen over black background for maximum clarity. NOTE: Stage Display requires a third video card or ViBook USB-DVI display adapter
- The VJ-ready feature allows you to switch backgrounds on the fly behind programmed text. While playing a presentation, simply turn on Background Mode to play media straight from the Decks behind your text. To go back to your preprogrammed media, switch back to Normal Mode.
- Convert a PowerPoint file into a lyric, text or graphic cue, with the added option of saving the existing backgrounds as separate graphic files. Requires a full installation of PowerPoint on your computer.
- Mac version has unique tools made just for Mac OS X, including built-in iTunes & iPhoto access, Quicklook previews and Spotlight searches.

ITEM	DESCRIPTION	PRICE
MEDIASHOUT-4.5	Ministry presentation software (XP/Vista/Win7)	389.00
MEDIASHOUT-MAC	Ministry presentation software (Mac OS 10.6 Snow Leopard)	389.00
STAGE-DISPLAY-ADAPTR	ViBook USB-DVI display adapter	125.00
MEDIASHOUT-4.5+2LCNS	MediaShout 4.5 plus 2 additional licenses (5 computers total)	589.00
MEDIASHOUT-4.5+SITE	MediaShout 4.5 for one campus (allows concurrent usage)	889.00

MEDIASHOUT UNIVERSITY TRAINING DVD This 2-hour training DVD gives you in-depth training in MediaShout Version 4. It covers the basics of ministry presentation and introduces you to the advanced tools required to create intricate multimedia experiences. Hosted by visual worship leader and MediaShout expert, Nate Ragan.

Includes the following:

- The Basics - teaches how to create and deliver presentations in MediaShout 4. Created for presenters and volunteers.
- Advanced Tools - learn all of the tools and settings used to create advanced presentations. Includes a complete look at Cue Editor and Templates.
- "Getting Started" Tutorials - a bonus section perfect for those getting started with MediaShout. Features all the tutorial videos included with Version 4.

ITEM	DESCRIPTION	PRICE
MEDIASHOUT-UNIVERSTY	MediaShout training DVD	99.00

MEDIASHOUT VIBOOK STAGE DISPLAY ADAPTER Add a third output for song lyrics, Bible verses or text for on-stage personnel. The ViBook Stage Display adapter is an innovative graphics USB-DVI cable that allows you to add additional displays to any computer system, desktop or laptop. Several monitors can be connected using more ViBooks, even through a hub. ViBook plugs directly into your display DVI port or nicely sits in its cradle on the back of the display. NOTE: If you are using a computer with 2 separate video cards or a MacBook Pro running Boot Camp, please call us for compatibility verification before purchasing.

ITEM	DESCRIPTION	PRICE
STAGE-DISPLAY-ADAPTR	ViBook USB display adapter	125.00

NEW!

MEDIASHOUT FOR MAC

CALL YOUR SALES PRO FOR DETAILS

RenewedVision

Pro Presenter

RENEWED VISION PROPRESENTER LYRIC PRESENTATION SYSTEM

This presentation system for lyric and media playback is perfect for live events and houses of worship. It uses 2 screens for quick and easy slide presentations and features a friendly interface for complete control over high-quality cross-dissolves of both audio and video. Other features include high-quality video and audio playback tools (with full HD support and beyond), pre-sequencing of slides to soundtracks, Scripture look-up, DVD playback, dynamically generated Count Down Timer, and a free sampler video library of over 50 high quality video clips with purchase. ProPresenter 4 now features Stage Display allowing you to share and communicate with people on stage using a third independent display. The customizable view allows you to display the current slide's text, next slide's text, clocks, timers, notes, and even an alert message in a layout you configure (requires a secondary graphics card or USB video output device). A single-user license allows you to install on multiple machines, but can only run on one machine at a time (non-concurrent use). The Site license allows you to run the software on multiple machines on your campus simultaneously. Each campus would require its own license however. Please consult Renewed Vision's website for additional, up to the minute information regarding their licensing rules.

ITEM	DESCRIPTION	PRICE
PRO-PRESENTER-4-SNGL	Lyric and media presentation software, Mac only, single user license	399.00
PRO-PRESENTER-4-SITE	As above, site license for concurrent usage on multiple machines	799.00
PRO-PRESENT-4-SNGL-PC	Lyric and media presentation software, single user license (Windows)	399.00
PRO-PRESENT-4-SITE-PC	As above, site license for concurrent usage on multiple machines	799.00

PROPRESENTER ADVANCED MODULE

The Advanced Module provides a combination of three (3) modules that enhance ProPresenter's native abilities. The first module allows the backgrounds generated by ProPresenter to be remotely triggered from a PVP Master over the network, just like a PVP network node would be triggered. The second module allows ProPresenter to output content through either the FireWire port or an installed SDI card, along with the DVI port of a Mac. The third module is a software addition to ProPresenter used with the Matrox DualHead2Go or the Matrox TripleHead2Go products to provide ultra-wide (up to 3840 x 1024) video and titling options.

ITEM	DESCRIPTION	PRICE
ADVANCED-MODULE	Advanced module for ProPresenter 4	199.00
DUAL2GO-DVI	Digital Edition, run 2 independent DVI monitors	229.95
TRIP2GO-DVI	Digital Edition, run 3 independent DVI monitors	339.95

RenewedVision

PVP Pro Video Player

RENEWED VISION PROVIDEOPLAYER (PVP) VIDEO PRESENTATION SOFTWARE

ProVideoPlayer manages an unlimited amount of clips in an unlimited number of playlists for playback on monitors or projectors. It allows you to control many video features, including hue, brightness, saturation, start/stop times, and speed, either on a global or per-clip basis. You can playback any video that can be recognized by QuickTime on your computer. ProVideoPlayer HD plays video at any resolution, limited only by hardware. ProVideoPlayer SD plays video up to 800 x 600 pixels. PVP NN plays any resolution video and is designed for multi-screen environments, where it will be controlled by a ProVideoPlayer HD or SD system.

ITEM	DESCRIPTION	PRICE
PRO-VIDEO-PLAYER-HD	ProVideoPlayer high definition player	999.00
PRO-VIDEO-PLAYER-SD	ProVideoPlayer standard definition player	699.00
PRO-VIDEO-PLAYER-NN	ProVideoPlayer network node	499.00

CALL TO WORSHIP!

CALL TO WORSHIP!

easyworship

EASYWORSHIP 2009

Create clean, media-rich presentations in minutes with quick access to Bibles, lyrics, and background videos with EasyWorship 2009 software. New features include custom stage support that allows the audience to see the presentation while the Display Foldback lets the stage see a custom display with the presentation, preview, clock, and private alerts. The Video Jockey mode gives the ability to switch backgrounds during a live song or scripture. With URL scheduling and full screen video playback, EasyWorship connects the audience to the web. Create separate databases for various groups at one location and network a single database across an entire campus for easy access and consistency.

Additional features include a slide editor for creating slides from scratch and easy PowerPoint importing. Site licensing comes standard with every copy of EasyWorship, the software can be installed on any number of computers at a single location. The libraries feature many Bible translations, song lyrics, and easy media organization for photos, videos, etc. There is also live feed management for cameras, switchers, and DVD players. Output can be full HD with proper system requirements. Output to a TriCaster or switcher for Chroma Key. Compatible formats include MPG and AVI for video, MP3 and WAV for audio, and JPG for photos.

- General system requirements include: 1.7GHz Pentium 4 Processor or better, 512MB RAM or more, 7200RPM hard drive, 500MB free disk space and NVIDIA G-Force 5200 video card or better.
- HD requirements include: 2.8GHz Intel dual core or quad core processor or better, 1GB RAM or more for XP / 2GB RAM or more for Vista, SATA 7200 RPM HD w/ 8MB cache, 500MB HD space, and NVIDIA G-Force 8600 video card or better.
- Does not support Intel Celeron, AMD Duron, or AMD Sempron processors.

ITEM	DESCRIPTION	PRICE
EASYWORSHIP-FULL	Worship multimedia presentation software	379.00
EASYWORSHIP-UPGRADE	Upgrade from previous version	89.10





SONY

SONY PRS-350 Featuring a 5" anti-glare touch screen and high contrast E Ink Pearl technology, this Reader can hold up to 1,200 books in 2GB of internal memory. Content can be purchased from the Sony Reader Store, or borrowed from a library. Support for ePub and PDF formats lets you gain access to more content from a variety of online sources. Other features include rechargeable battery, freehand highlighting and note taking, built-in dictionaries and translators, high-speed USB connection for data transfer & battery charging, adjustable font sizes, right and left-handed page buttons and intuitive Reader Library software for PC or Mac. Available in silver or pink.

ITEM	DESCRIPTION	PRICE
PRS350PC	Reader Pocket Edition, 2GB, pink	179.99
PRS350SC	Reader Pocket Edition, 2GB, silver	179.99

SONY PRS950 READER DAILY EDITION Featuring a 7" anti-glare touch screen and high contrast E Ink Pearl technology, this Reader can hold up to 12,000 books in 2GB of internal memory. Add a Memory Stick Duo or SD card (up to 32GB) and it can carry up to 50,000 books. Content can be purchased from the Sony Reader Store, or borrowed from a library. Support for ePub and PDF formats lets you gain access to more content from a variety of online sources. Other features include WiFi & 3G wireless access, web browser, dictionaries, high speed USB connection, rechargeable battery, freehand highlighting & note taking, intuitive Reader Library Software for PC or Mac, adjustable font sizes, portrait or landscape viewing and the ability to play MP3 and AAC audio files.

ITEM	DESCRIPTION	PRICE
PRS950SC	Reader Daily Edition, 2GB, external memory slot, silver	299.99
TS32GSDHC4	SDHC memory card, 32GB, class 4 (by Transcend)	54.71

Did You Know? Although Full Compass cannot offer digital content for Sony Readers, we want to make you aware of the numerous offerings available for this innovative product. A wide range of religious themed e-books can be purchased through the Sony Reader Store at **http://ebookstore.sony.com/subject/religion**. In addition to eBooks, these readers can display PDFs, Microsoft Word files, and BBeB Book files. They can also play unsecured MP3 and AAC audio files. Simply transfer files with the supplied software and USB cable from your computer to your reader. Sony Readers are ideal companions for air travel and are compatible with both Windows and Mac based systems.

CHURCH PRODUCTION RESOURCES "FUNDAMENTALS OF AUDIO" DVD

A cost-effective training solution for church audio technicians. Why spend hundreds of dollars every year when you can make a one-time investment and train for a lifetime? This product teaches the fundamentals of sound and how it works – in language that any layperson can understand. Includes 4 separate lessons – signal flow, setting a proper gain structure, equalization techniques, and auxiliary & subgroup mixing.

ITEM	DESCRIPTION	PRICE
FUNDAMENTALS-AUDIO	Instructional DVD	118.29

CHURCH PRODUCTION RESOURCES "SOUND CHECK" DVD

This DVD goes on location to a typical church and shows the viewer how to properly do a sound check from start to finish. It breaks down the process step by step explaining what is happening at each step and why it's being done. It also includes a complete uninterrupted sound check of both band and vocalists.

ITEM	DESCRIPTION	PRICE
SOUND-CHECK	Instructional DVD on sound check procedures	22.75

CHURCH PRODUCTION RESOURCES "SCENES OF NATURE" DVD SERIES

The Scenes of Nature CD set includes 20 loopable MPG1 video clips designed for worship presentations. Each clip is loopable and has been tested with all of the major worship presentation software packages.

ITEM	DESCRIPTION	PRICE
SCENES-RIVERS	DVD of peaceful video clips of rivers & streams located throughout the Appalachian mountains	22.75
SCENES-WATERFALLS	DVD of majestic waterfalls all the way to 6" water drop-offs. Includes BONUS MPG2 copies of each video clip for FREE!	22.75

HAL LEONARD "CHURCH SOUND SYSTEMS" BOOK

This book makes setting up a sound system for a church easy. Learn to design a new system or get the most out of what you already have. It covers design, layout, choosing the right mics, speaker setup & positioning, feedback troubleshooting & control, mixers, and more.

ITEM	DESCRIPTION	PRICE
00330542	Church Sound Systems book	12.95

JERRY DAY PRODUCTIONS "LIGHT LIKE A PRO" DVD

A crash course in the principles of lighting that are NOT easy to pick up intuitively. Produced by Emmy-Winning Jerry Day Productions. Running time: 22 minutes. Learn how to give your images the snap, sizzle and dreaminess of the pros. This DVD includes vivid demonstrations, great visuals and down-to-earth explanations of key lighting methods to de-mystify the art and craft of lighting for all media. LIGHT LIKE A PRO goes into the studio, outdoors and into graphics sequences to give clear and simple examples and explanations of universally useful lighting principles. This is the video that can save YOUR next video, film or photograph!

ITEM	DESCRIPTION	PRICE
LIGHT-LIKE-A-PRO-3	Instructional lighting DVD, 22 minutes	43.82

PRESONUS "COMPUTER RECORDING FOR WORSHIP" DVD

To help churches realize the potential of digital computer recording, PreSonus has produced a free, step-by-step instructional DVD. Covers how to record the sermon and/or worship service with professional results for duplication, podcasting, archiving, website downloading, sermon series audio CDs or radio programs. Also covers making praise and worship CDs, MP3 audio files and more, using the PreSonus INSPIRE 1394 and FIREPOD. This powerful DVD enables anyone to produce a high-quality, professional recording without breaking the church budget.

ITEM	DESCRIPTION	PRICE
WORSHIP-DVD	Computer Recording for Worship DVD	FREE!

SIMPLY SOUND TRAINING "SOUND SYSTEM BASICS" DVD

Sound System Basics is a training DVD video packed with everything you will need to run your church's sound system. It is broken into short, easy to understand lessons that are simple to recall if you need a review. This DVD has over one hour of great hands-on training techniques.

ITEM	DESCRIPTION	PRICE
SIMPLY-SOUND-DVD	DVD tutorial	40.16

SOUND MADE SIMPLE ICD INSTRUCTIONAL CD-ROM

An interactive learning application CD-ROM that takes an academic approach to teaching the fundamentals of audio, acoustics and sound system equipment. Topics include Sound & Hearing, Signal Path & Gain Structure, Mixing Consoles, Equalization, Acoustics, Microphones, Signal Processors, Power Amplifiers, Loudspeakers, and Cables, Connectors & Impedance. Several of the units include interactive objects that provide hands on experience without requiring a full size audio system. The interactive mixing console accurately simulates the look, feel, and function of a real console and incorporates full functionality of the console's controls while allowing the user to mix real instrument tracks in real time. There are over 350 comprehensive academic-based modules in a well designed application ideal for both individual and group training sessions.

ITEM	DESCRIPTION	PRICE
SMS-ICD	Interactive audio/acoustics/sound equipment CD-ROM	129.00

VORTEX MEDIA DVD TUTORIALS & INSTRUCTIONAL BOOKS

Instructional videos and books for video and television cameras.

ITEM	DESCRIPTION	PRICE
EX1DVD	DVD tutorial for PMWEX1	78.00
EX3DVD	DVD tutorial for PMWEX3	78.00
FGEX1	Instructional book for PMWEX1	26.00
FGEX3	Instructional book for PMWEX3	26.00
ILDVD	DVD Tutorial for lighting	32.50
SXSDVD	XDCAM EX workflow disc (DVD-ROM)	19.50
Z1DVD	DVD tutorial for HVRZ1U & HDRFX1	26.00
Z7DVD	DVD tutorial for HVRZ7U, Z5U, 270	71.50

YAMAHA EDUCATIONAL BOOKS

The Sound Reinforcement Handbook (2nd edition) covers all aspects of designing and using systems for public address or musical performance. The book features information on audio theory and the practical applications of the theory, explaining everything from microphones to loudspeakers. This revised edition features 40 new pages and is even easier to follow with the addition of an index and a simplified page and chapter numbering system. New topics include MIDI, synchronization, and an appendix on Logarithms. Yamaha's Guide to Sound Systems for Worship provides basic information on sound systems for ministers as well as worship and music leaders. Written in a non-denominational way.

ITEM	DESCRIPTION	PRICE
00500964	Sound Reinforcement Handbook, 416pgs	CALL
00290243	Guide to Sound Systems for Worship, 190pgs	CALL

YAMAHA "EXPLORING SOUND REINFORCEMENT" DVD

A hands-on exploration of Sound Reinforcement looking at:

- Equipment – mics, mixers, amps, EQ, effects, loudspeakers
- Putting it Together – setting up, sound check, monitoring
- Live Applications – acoustic duo, house of worship, concerts
- Good working practices
- Troubleshooting

ITEM	DESCRIPTION	PRICE
SR-DVD-CA	Sound Reinforcement Techniques DVD, 2 hrs. 15 min	CALL

CALL TO WORSHIP!



HOUSE OF WORSHIP

48 X 16 SNAKE WITH DIGITAL SPLITS AND MONITORS

PAGE 106

AVIOM

CALL TO WORSHIP!

FURMAN

FURMAN HDS6/HR6 HEADPHONE DISTRIBUTION SYSTEM Allows each artist to have a personal headphone mix in the studio. The system is made up of a HDS-6 distribution amplifier and HR-6 remote control stations. Up to 8 HR-6s can be daisy-chained together. Each HR-6 has control of 4-mono and 1-stereo source, which are in common to all remotes. Each HR-6 connects via a 25 ft linking cable (supplied).

ITEM	DESCRIPTION	PRICE
HDS6	Master amp	289.95
HR6	Remote station (up to 8 per each HDS-6 master amp)	149.95

hear TECHNOLOGIES

HEAR TECHNOLOGIES "HEAR BACK" PERSONAL MONITOR MIXING SYSTEM Virtually unlimited systems size using Cat-5 cable – cost effective and easy to connect. A unit consists of a personal mixing station which gives you 10 channels of audio volume, a master volume, DSP limiter, 2 headphone outputs, and aux input (TRS 1/8") and 2-mixer outputs (TRS 1/4") and a hub which can have eight mixing stations, has a choice of; 8-analog inputs from DB25 cable, 8 light-pipe ADAT inputs, or 8 'Hear-Bus' RJ45 inputs/outputs(2x). All 24bit-A/D and 48kHz sampling rates.

ITEM	DESCRIPTION	PRICE
HEAR-BACK-HUB	Personal monitor hub	579.00
HEAR-BACK-MIXER	Personal monitor mixer	230.00
HEAR-BACK-FOUR-PACK	4-personal mixers plus 1-hub	1495.00
PC-30	30' CAT-5 cable	44.05
PC-50	50' CAT-5 cable	65.94
DTF803	10' DB25 to XLRF cable	33.39
DTM803	10'-DB25 to XLRM cable	30.92
DTP803	9.9'-DB25 to 1/4" TRS cable	30.54

myMix

MYMIX NETWORKED PERSONAL MIXER/ MULTI-TRACK RECORDER Create a personal mix, name separate mix channels, separate monitor units, and adjust mixes by making changes to volume, tone, pan, reverb levels, and effect send levels. It provides 4-band parametric EQ and the ability to save multiple mix profiles when being used as a personal mix monitor. Record up to 18 tracks of 24bit, 48kHz time stamped .WAV files onto SD, microSD, and SDHC cards. Each signal is recorded from the preamp to a single track without processing. The myMix also records stereo tracks of the processed mix for reference. Up to 8 myMix units can be networked together on a standard Ethernet switch, or 2 can be directly connected. I/O includes 2 balanced mic/line XLR-1/4" ins with switchable phantom power, 2 balanced 1/4" outs, 1/8" headphone, and RJ45 for Ethernet connection. The IEX-16L bears 2 DB25 connectors and can connect up to 16 balanced line level signals (i.e. mixing console, mic preamp) and to one myMix unit. This expander module can be configured through myMix devices (channel naming, stereo linking, etc.) and its inputs appear as named channels on every networked device.

ITEM	DESCRIPTION	PRICE
MYMIX	Personal mixer/multi-track recorder	649.00
IEX-16L	16-channel line level input expander module	999.00

RSS by Roland

RSS M-48 LIVE PERSONAL MIXER Built for live and in-studio applications, the M-48 personal mixer offers quality sound monitoring in headphones, in-ear monitors, or monitors (both powered and unpowered). M-48 users can control up to 40 audio channels via 16 stereo groups. Controls include volume, pan, 3-band EQ, and built-in reverb per group. Also features a limiter, an aux input, mini-jack and 1/4" phone jack headphone outs, balanced 1/4" line outs, a stereo mini jack output, and an ambient mic for communication with other musicians on-stage. Both power and audio come into the unit via Cat5 cable. Comes with mic stand mounting plate. When used with the S1608 or S4000S series digital snakes, your PC can control the mixer via serial port connection. RSS' S4000D is required to supply audio signal via Cat-5 to the M-48.

ITEM	DESCRIPTION	PRICE
M-48	Personal live mix monitor	1080.00
M-48SYS-5	M-48 mixer w/ S4000D splitter/power distributor	CALL
APC33	Music/mic stand mounting bracket for M-48 mixer	52.20

Tenemos ventas y servicio en Español.
Expertos que hablan Español disponibles en x1178 y x1164.

Honesty and Value since 1971

GENTNER ASSISTIVE LISTENING SYSTEMS Operating in the 72-76MHz FM band, Gentner Assistive Listening Systems tune to all 37 ALS channels and work indoors and outdoors with 'no line-of-sight' requirements. These systems connect easily to existing public address systems. The TX-37A can transmit over 300ft. Its universal input accepts mic level, line levels, and speaker level. Features include adjustable signal strength, built-in test tone for tuning, and remote mount antenna with 50' of cable. The Digital-1 is designed to be field-preset to a single ALS channel for very easy operation. The user just turns it on and adjusts the volume. Digital tuning eliminates any problems that can occur from frequency drift or changes in the environment. The Digital-6 Plus is a 6-preset version of the Digital-1 used primarily for multi-language or multi-room applications. The RX-1A is a low-cost ALS receiver where the installer of the system needs to manually tune each unit by ear. Gentner's FM design and high level of sensitivity allows flexibility not found in infrared (IR) systems. Accessories include a variety of headphones and earpieces as well as battery chargers and more.

ITEM	DESCRIPTION	PRICE
Systems		
PACKAGE-DIGITAL	TX37A + 4 digital-1 rcvrs, plaque, sticker, rack kit	899.95
PACKAGE-DIGITAL-10	TX37A + 10 digital-1 rcvrs, plaque, sticker, rack kit, 5 packs of 4 Ni-Cad batteries	1639.95
PACKAGE-DIGITAL-10C	TX37A + 10 digital-1 rcvrs, BC10B charger, plaque, sticker, rack kit, 5 packs of 4 Ni-Cad batteries	1899.95
Components/Accessories		
TX37A	AC-powered transmitter only	499.95
RX1A	Economy single-channel receiver w/single earbud	59.95
DIGITAL-1-RECEIVER	Single-channel portable digital rcvr w/single earbud	99.95
DIGITAL-6-PLUS	6-channel portable digital receiver w/single earbud	119.95
BC10B	Optional battery charger for up to 10 rcvrs	319.95
910-200-016	4-pack of Eveready Ni-Cad AA cells	4.75
910-402-101	Single-earbud	3.95
910-402-102	Dual-earbud	7.95
910-402-102C	Replacement ear cushion	0.17
910-402-103	Mono-headphone	11.95

LISTEN VALUE PACKAGE The LP-3CV-072 assisted listening system includes 4 LR-200-072 wireless receivers, 4 earphones, a three-channel 72MHz wireless transmitter and assisted listening plaque. Backed by Listen's service and support, this package offers a low-priced solution for your assisted listening needs. Easy-to-use, it's ideal for houses of worship, classrooms, theatres, employee training applications, and business meetings. Listen's LR-200-072 Standard 3-channel 72MHz FM receiver offers a simple, cost-effective solution with a choice between three different preset frequencies that transmit to the necessary area. The receiver can be used with any of Listen's current line of earphones.

ITEM	DESCRIPTION	PRICE
LP-3CV-072	3-channel Value Package – includes 72MHz transmitter, 4 LR-200-072 receivers, 4 LA162 earbuds, ADA signage	767.99
LR200-072	Standard 3-channel FM receiver only (72MHz)	76.00
LA162	Stereo ear buds	11.00
LA165	Stereo headphones	18.00
LA166	Neck loop	55.00
LA164	Ear speaker	14.00

TELEX SOUNDMATE™ SMP2 PORTABLE SYSTEM PACKAGE The SMP-2 System includes (1) PST-170 portable belt pack transmitter, (6) SR-50 single-channel receivers, (6) HED-2 collapsible headphones, (14) AA Alkaline batteries, (1) deluxe system carrying case, (1) HM-2 headworn microphone and a user manual for SR-50 and PST-170. The PST170 is a 17-channel portable transmitter with a built-in lapel mic, and 2 audio input jacks for line level sources such as tape players. The PST170 like the ST300 base transmitter features enhanced dynamics range (EDR) that is compatible with the SR400 digital receivers.

ITEM	DESCRIPTION	PRICE
SMP2-71915	Portable sys. of 1 PST170, 6 SR50, 6 HED2, 1 case, 1 HM2 mic	1049.00
PST170	17-channel beltpack transmitter (included in SMP2)	450.00
SR50	Single-channel receiver (included in SMP2)	90.00
SR400-71913-000	Optional 17-channel receiver	219.00

TELEX SOUNDMATE ACCESSORIES

ITEM	DESCRIPTION	PRICE
BC102	Two-pocket drop-in charger (SR50/SR400/PST170)	135.46
SM-C-71077001	Carry case for systems with six receivers	67.00
SMP-C-879454	SMP case with custom foam inserts	129.00
PH21-64327-001	Headworn, unidirectional condenser mic w/TA4F conn.	192.00
SEB1-59840-005	Single-earbud w/ cord	9.00
DEB2-59840-001	Dual-earbud w/ cord	14.00
HED1-879487	Ultra lightweight headphone	10.00
HED2-59840-007	Collapsible lightweight headphone	14.00
HED3-63510-021	Full-cushion noise reduction headphone	70.00
RTV04-60012-003	Telethin earphone (125 ohm) for moderate hearing loss	23.00
RTR04-60012-000	Telethin earphone (15 ohm) for severe hearing loss	23.00
AEF2	Plastic covered metal earloop	9.00
ET1-35608-000	Eartip, soft silicone tip, w/ metal plug	10.00
CMT98-60013-015	5' straight cord w/ straight miniature connector	28.00
CMT92-60013013-BEIGE	5' straight cord w/ right angle mini connector	28.00
NL4S-71120-001	Inductive neckloop w/cord	70.00
TWA-877960	Telescoping 1/4 wave replacement antenna for ST-200, ST-300	27.00
HGA1-19759-000	1/2-wave dipole gain antenna	67.00

WILLIAMS SOUND PORTABLE INFRARED ADA KIT 'All-in-one' ADA compliance kit for hearing accessibility and/or language interpretation in a small-group setting. Ideal for secure applications such as parent/teacher conferences or small meeting rooms, it operates at 2.3MHz/2.8MHz, at a range of up to 30ft. The system includes WIR 250 small area IR system, BAT KT6 AA rechargeable battery system, (2) WIR RX22-4 infrared receivers, (2) HED 026 headphones, NKL 001 neckloop, MIC 049 omnidirectional conference mic, WCA 007 WC mic extension cable, CCS 030 carry case, & IDP 008 ADA wall plaque.

ITEM	DESCRIPTION	PRICE
IR-ADA-KIT	Portable, infrared all-in-one kit, up to 30ft	884.00

WILLIAMS SOUND PORTABLE FM ADA KIT Everything you need to accommodate hard of hearing individuals in a small group setting. This easy-to-use FM system operates on 1 of 16 selectable channels, 72-76 MHz, at a range of up to 150ft. The system is ideal for rooms up to 70,000 square ft. It includes a PPA T36 belt pack transmitter, (4) PPA R37 receivers, (4) HED 027 headphones, NKL 001 neckloop, MIC 090 lavalier mic, MIC 049 desktop conference mic, CCS 029 carry case, (10) AA batteries, & IDP 008 ADA wall plaque.

ITEM	DESCRIPTION	PRICE
FM-ADA-KIT	Portable, all-in-one, small-area FM system, up to 150 ft	1183.00

CALL TO WORSHIP!

CALL TO WORSHIP!

AMPLIVOX PORTABLE SOUND SYSTEMS



AMPLIVOX ACRYLIC LECTERNS A sleek alternative to standard wood or metal podiums that allows the speaker to communicate more of the non-verbal elements of his or her speech. Elegant in their design, these stands are ideal for churches or meeting rooms. All models (except for SN3075) come fully assembled when delivered.

ITEM	DESCRIPTION	PRICE
SN3050	Clear acrylic lectern, 47"H	574.70
SN3055	Clear acrylic lectern, large top (31.75" x 14.75"), 49"H	767.20
SN3065	Contemporary acrylic lectern, 47 H	690.20
SN3075	Traditional acrylic lectern, 47.5"H	728.70
SN3080	Aluminum-sided acrylic lectern, 48"H	921.20
S1042	Clamp-on mic mounting kit (13" gooseneck, clamp & shockmount mic holder)	60.20

AMPLIVOX AMPLI MEDIA POD PODIUM – MULTIMEDIA LECTERN This podium is a fully assembled multipurpose computer lectern cart featuring a 4" deep area for a laptop that locks, with a slide out locking shelf for projectors and multimedia equipment. Two locking doors provide secure storage on 2 adjustable inner shelves for equipment and A/V materials. Has wire management grommets on inside for laptop, LCD projector, and accessory use. Constructed from high quality laminate heat-fused MDF with a stained pine wood finish on the base. This unit rolls on four 4" casters (2 locking). Ships fully assembled, by truck. Available in 4 color options - walnut, medium oak, mahogany and maple.

ITEM	DESCRIPTION	PRICE
SS3230	Podium w/ 50W multimedia stereo amp, 2 built-in 6" x 8" Jensen speakers, dynamic handheld mic, 44"H x 26.5"W x 18.5"D, specify finish	699.30
SN3230	Podium only, no sound system or microphones	508.20

AMPLIVOX PRESIDENTIAL LECTERN PLUS The Presidential Plus is an elegant radius-styled lectern, ideal for formal meetings or executive boardrooms, and it provides great sound in an attractive package. Includes choice of wireless mic (lapel, headset or handheld), 50W amplifier with VHF wireless receiver built-in, one handheld cardioid dynamic mic, 15' mic cable, flexible gooseneck with shockmount mic holder and two 6" x 8" Jensen-designed speakers built-in. Available in mahogany, or medium oak finishes.

ORDERING INFO:	OPERATES IN THESE TWO FREQUENCIES:
Default VHF band (T6/T7)	171.105MHz, and 171.845MHz

ITEM	DESCRIPTION	PRICE
SW450-HANDHELD	Lectern, w/ handheld wireless mic, select finish	1127.70
SW450-HEADSET	Lectern, w/ headset wireless mic, select finish	1127.70
SW450-LAPEL	Lectern, w/ lapel wireless mic, select finish	1127.70

AMPLIVOX SW505 SERIES EXECUTIVE ADJUSTABLE SOUND COLUMN LECTERN Easily adjustable with pneumatic dial from 39" to 45", and the base has elegant sculpted radius corners and 4 hidden casters (2 locking) for easy portability. Includes 50W amplifier with VHF wireless receiver built-in, one handheld cardioid dynamic mic, 15' mic cable, flexible gooseneck w/shockmount mic holder and two 6" x 8" Jensen-designed speakers built in. Typical for audience sizes up to 1,500 or rooms up to 15,000 sq ft. Available in several finishes (light oak, mahogany, medium oak, or walnut).

ORDERING INFO:	OPERATES IN THESE TWO FREQUENCIES:
Default VHF band (T6/T7)	171.105MHz, and 171.845MHz

ITEM	DESCRIPTION	PRICE
SW505A-HANDHELD	Lectern, w/ wireless handheld mic, select finish	1197.00
SW505A-HEADSET	Lectern, w/ wireless headset mic, select finish	1197.00
SW505A-LAPEL	Lectern, w/ wireless lapel mic, select finish	1197.00

AMPLIVOX TABLETOP LECTERN The W250 tabletop lectern features a 21"W x 15"D work surface, roomy storage shelf, and has a durable water & scratch-resistant finish in walnut or medium oak. It may be supplemented with the S260 media cart base to create a full size lectern. The S260 base measures 21"W x 33"H x 17"D and has 4 casters (2 locking).

ITEM	DESCRIPTION	PRICE
W250	Tabletop lectern, specify finish	111.30
S260	Media cart base for W250, specify finish	167.30

AMPLIVOX ENCLOSED PEDESTAL BOARDS Single pedestal enclosed units feature resilient corkboard, or Black felt letterboards. Models shown have satin or black bases with included satin or wood finish pedestals. Postings are secure behind the lockable acrylic door and the freestanding pedestal allows for easy mobility. 36"H Pedestal is included with board. Models ship UPS ground.

ITEM	DESCRIPTION	PRICE
AMPP300EZ	18" x 24" Satin base/frame pedestal w/ Easy Tack board	206.50
AMPP100WEZ	18" x 24" Satin base/wood frame pedestal w/ Easy Tack board	210.00
AMPPD100W	18" x 24" Satin base/wood frame corkboard	210.00
AMPPD1064BK	18" x 24" Black base/wood frame corkboard	216.30
AMPPD1124	18" x 24" Satin base/satin frame letterboard	269.50
AMPPD26200	18" x 24" Satin base/wood frame letterboard	252.00

AMPLIVOX DRY ERASE BOARDS These are heavy-duty magnetic marker boards are framed with 1" Aluminum. White porcelain enamel is baked onto a steel surface for years of exceptional service. Dry erase markers glide smoothly and cleanly over the White surface and erase with no ghosting. Guaranteed for life! Marker tray holds a marker and eraser neatly.

ITEM	DESCRIPTION	PRICE
AMP816P	36" x 24" dry-erase porcelain, aluminum frame, 17 lbs	92.40
AMP817P	48" x 36" dry-erase porcelain, aluminum frame, 33 lbs	158.90
AMP818P	60" x 36" dry-erase porcelain, aluminum frame, 41 lbs	256.20
AMP819P	72" x 48" dry-erase porcelain, aluminum frame, 57 lbs	301.00
AMP820P	96" x 48" dry-erase porcelain, aluminum frame, 73 lbs	92.40
AMP1776	Dry-erase markers, 4 per set (green/black/blue/red)	7.35
AMPWEP5	5-pack wet erase bright stick markers (pink/white/yellow/green/blue)	28.70
AMP1776KIT	Kit – AMP1776 markers with eraser & cleaner	20.97

FCC

See Consumer Alert on page 28 regarding Wireless Microphone Systems.

Honesty and Value since 1971

AMPLIVOX

AMPLIVOX CHALKBOARDS Made with the highest quality chalkboard available, these will last a lifetime. Magnetic chalkboards are framed with 1" aluminum frames. Please specify green or black surface when ordering. These long lasting boards are built with porcelain enamel baked on to steel backing. Clean-up is easy! Even crayon and tempera paint are easily removed with water. Magnetic surface is great for posting messages or decorating with magnets. Perfect for daily use. Full length chalk rail included. Select green or black surface.

ITEM	DESCRIPTION	PRICE
AMP1230PSA	24" x 36" aluminum frame porcelain on steel	98.00
AMP1232PSA	48" x 36" aluminum frame porcelain on steel	168.00
AMP1238PSA	60" x 48" aluminum frame porcelain on steel	271.60
AMP1240PSA	72" x 48" aluminum frame porcelain on steel	319.20
AMP1242PSA	96" x 48" aluminum frame porcelain on steel	441.00
AMP1244PSA	120" x 48" aluminum frame porcelain on steel	529.20
AMP1246PSA	144" x 48" aluminum frame porcelain on steel	616.00

AMPLIVOX OUTDOOR ILLUMINATED CHURCH LETTERBOARDS

Outdoor Illuminated Letterboards with Headers.

Features:

- Satin anodized aluminum frame
- 1/4" Lexan window
- Black vinyl letterboard interior surface (replaceable)
- 290 piece set of 3/4" Helvetica tabbed letters included
- Heavy duty lockable door mounted on full-length piano hinge (two keys included)
- Permanently adhered vinyl lettering on a white acrylic header
- Header boards are top illuminated behind the header
- Boards have sealed aluminum backing and drainage holes

Case Dimensions:

- 1" wide main frame
- 1 15/16" wide door frame
- 3 1/8" illuminated exterior depth, 1 5/8" illuminated interior depth

ITEM	DESCRIPTION	PRICE
AMP1304TB	Outdoor illuminated letterboard w/header, 43" W x 33" H, 70 lbs	840.00
AMP1306TB	Outdoor illuminated letterboard w/header, 60" W x 42" H, 108 lbs	1260.00

AMPLIVOX ECONOMY OUTDOOR ENCLOSED READERBOARDS

Features:

- Satin anodized aluminum frame
- Crystal clear 1/4" Lexan window
- 300 piece set of 4" on 5" characters included
- 9 3/4" Top header area allows for large single or two line copy
- Top hinged lockable door mounted on full-length piano hinges (2 keys included)
- Sturdy tracking mounted onto white acrylic background (replaceable)
- All Illuminated units lit from top and behind the header on the door

Case Dimensions:

- 1" wide main frame
- 1 15/16" wide door frame
- Single sided reader board is 3 1/8" exterior depth & 1 5/8" interior depth
- Double sided reader board is 6 1/4" exterior depth & 1 5/8" interior depth / side

ITEM	DESCRIPTION	PRICE
Single Sided Models:		
AMPAT1000	48" x 48" readerboard, non-illuminated, 75 lbs	840.00
AMPAT1000I	As AMPAT1000, illuminated version, 85 lbs	945.00
AMPAT3000	96" x 48" readerboard, non-illuminated, 150 lbs	1659.00
AMPAT3000I	As AMPAT3000, illuminated version, 160 lbs	1890.00
Double Sided Models:		
AMPBT1001	48" x 48" readerboard, non-illuminated, 150 lbs	1606.50
AMPBT1001I	As AMPBT1001, illuminated version, 160 lbs	1816.50
AMPBT3001	96" x 48" readerboard, non-illuminated,300 lbs	3244.50
AMPBT3001I	As AMPBT3001I, illuminated version, 310 lbs	CALL
Accessories:		
AMPPT205	6"W x 96"H x 2"D posts, for single/double-sided readerboards	129.75
AMPCLOGO	Custom logo charge for header on any of above units, customer to provide camera-ready artwork via .EPS or .AI file (call for more info)	175.00

ANCHOR

ANCHOR AUDIO ACCLAIM LECTERN Reach crowds up to 500 for 7 hours on a rechargeable battery. The lectern base is also a portable transport case with tilt-n-roll casters for easy movement. Has a 50W speaker, includes 24" gooseneck mic and detachable reading light and weighs less than 35 lbs. Includes auxiliary mic and line inputs.

ORDERING INFO:	OPERATES IN THIS RANGE:
For ACL7500U model only	682.000-698.000MHz

ITEM	DESCRIPTION	PRICE
ACL7500	AC/DC portable lectern, 14"H x 22.5"W x 13.5D" (base), 22.5" x 19" (top), gray	978.00
ACL7500U1	AC/DC portable lectern with UHF receiver built in, no mic, gray	1226.00
ACL-BASE	Lectern base & transport case, 3.5"H x 21.5"W x 18.5"D, gray	436.00
WH6000	Wireless UHF handheld transmitter	332.00
WB6000	Wireless UHF bodypack transmitter only, no mic	250.00
LM60	Lapel mic for WB6000	82.00

ANCHOR AUDIO ADMIRAL LECTERN A sleek, stylish and sophisticated lectern that complements contemporary design in boardrooms and auditoriums. Slip a Liberty or Xtreme powered sound system into the pedestal and Admiral becomes a self-contained presentation center. Oak laminate surfaces and handrubbed solid oak trim. Units carry a 6-year manufacturer's warranty.

ITEM	DESCRIPTION	PRICE
FL7500	Lectern with LM618 gooseneck mic, shockmount, grill, no system	1363.00
LK-LIB	Lectern w/front speaker grill, mic, & Liberty sound system	2518.00

ANCHOR AUDIO SEVILLE LECTERN WITH SOUND SYSTEM

The sound system in this oak lectern features a 6.5" woofer with high output tweeter and puts out 70W continuous power. Designed for audiences approximately 750 people large. Comes with 18" gooseneck mic and Tilt-N-Roll casters and weighs 122lbs. Go wireless with the optional 64-channel, true-diversity UHF systems shown below.

ORDERING INFO:	OPERATES IN THIS RANGE:
(only when used with UHF6400 systems)	682.000-698.000MHz

ITEM	DESCRIPTION	PRICE
LP-7500	Seville Lectern w/sound system	1993.00
LP-7500U1	Seville Lectern w/single wireless reciever built-in	2135.00
LP-7500U2	Seville Lectern w/dual wireless reciever built-in	2255.00
LM618	24" gooseneck microphone	178.00
LC650	Padded nylon slipcover	200.00
UHF6400/WB6400/CM60	Wireless collar mic system	454.00
UHF6400/WB6400/HBM60	Wireless headband mic system	454.00
UHF6400/WB6400LM6400	Wireless lapel mic system	454.00
UHF6400/WH6400	Wireless handheld mic system	454.00

CALL TO WORSHIP!

CALL TO WORSHIP!

DA-LITE

DA-LITE ROLL AROUND MARKER BOARDS

Two-sided magnetic marker board provides two full-size surfaces for presentations. Select any combination of surfaces: white porcelain or black hook and loop compatible fabric over cork. Choose from three board sizes depending on your needs: 3' x 4', 3.5' x 5', or 4' x 6'. Mounts on a sturdy black painted aluminum frame with carpet casters for easy mobility. Some assembly with hand tools required.

ITEM	DESCRIPTION	PRICE
43177	3'x4' Whiteboard/loop fabric covered cork. 67 lbs, shipping class 85	801.90
43176	3'x4' Whiteboard/whiteboard, 67 lbs, shipping class 85	801.90
43180	3.5'x5' Whiteboard/loop fabric covered cork, 80 lbs, shipping class 85	872.74
43179	3.5'x5' Whiteboard/whiteboard, 80 lbs, shipping class 85	872.74
43183	4'x6' Whiteboard/loop fabric covered cork, 99 lbs, shipping class 85	892.79
43182	4'x6' Whiteboard/whiteboard, 99 lbs, shipping class 85	892.78

DA-LITE WHITE BOARD PACKAGE

Contains 1 each of red, blue, green, and black dry erase markers, 1 eraser, 1 bottle of white board cleaner, and 1 telescopic pointer.

ITEM	DESCRIPTION	PRICE
43217	Whiteboard accessory package (as described above)	22.18
43233	Whiteboard cleaner (carton of 12) only	32.08
43234	Eraser for whiteboards, each	5.35
43232	Telescoping pointer	9.36
43220	Dry erase markers, set of 1 each of 4 colors	9.36

DA-LITE LASER POINTERS / RF PRESENTERS



These are available as standard or jumbo sized, one blinking model, and a deluxe RF PowerPoint model. Use the green models for situations where rooms are bright, rear projection, or long distance applications. The PowerPoint RF remote model utilizes a green laser and has handy page-up/page-down functions. It has no interference with nearby or multiple units because the remote pairs directly with the included USB receiver. For seamless presentations with Microsoft PowerPoint on PCs utilizing Win98/2000/XP, Mac OSX, or either hardware utilizing Linux. The RF presenter has a range of 95 feet and the green laser has a range of 1,000 feet in a dark room.

ITEM	DESCRIPTION	PRICE
75837	Laser pointer, red w/batteries	29.11
35246	Laser pointer, green w/batteries	52.12
79899	Blinking model laser pointer, red	30.74
79900	Jumbo laser pointer, red	202.36
35247	Jumbo laser pointer, green	261.95
37139	Deluxe RF Powerpoint remote, w/green laser pointer	87.56

HSA

INS17RK-II ROLLTOP RACK

For the utmost in versatility, add one or more Inspire Rolltop Racks for extra equipment room and to create connectors for multiple desk control centers. Available in antique cherry, ebony, fruitwood, golden oak, natural oak, teak, walnut, or warm cherry finishes- or as a sanded/ready to finish version.

ITEM	DESCRIPTION	PRICE
INS17RK-II	17RU Rolltop rack (select finish)	1301.38

HSA

HSA STANDARD ROLLTOP/EXTENDED/HIGH RISE MINI ROLLTOP DESKS

The Standard model (STDRT) features a low-profile design with a 10RU under-mounted rack and ample tabletop space. Both upper and lower tambours lock. Dimensions are: 35.25" total height, 45.5" total width, 34" external depth, workspace is 44" W x 25.875" D. The EXTRT model has the same 10RU under-mounted rack, but allows extra tabletop space, and is ideal for accommodating wider mixing consoles. Dimensions are: 36.625" total height, 57.5" total width, 39.125" external depth, workspace is 56" W x 31" D. The High Rise Mini model (HRMIN) is for when floor space is at a premium, or you need something compact. It is slimmed down to a single rack width, with 10RU below, and 3RU above the desktop, plus the rack rail above the tabletop is removable if you need taller clearance. Dimensions are: 44.75" total height, 21" total width, 34" external depth, workspace is 19.5" W x 25.875" D. All three models are available in eight beautiful colors: natural oak, golden oak, warm cherry, fruitwood, walnut, teak, antique cherry and ebony.

ITEM	DESCRIPTION	PRICE
STDRT	Standard rolltop desk (select finish)	1507.28
EXTRT	Extended rolltop desk (select finish)	1811.78
HRMINI	Mini high rise rolltop desk (select finish)	1736.38

HSA RT CUSTOM QUAD SYSTEM

Single piece design, with 82.5" of wall-to-wall table top width. A 'High Rise' style desk, the Quad features four, glideout 3RU rack bays above the table top plus two under-mounted 10 RU racks provide plenty of rack space. External dimension of the Rolltop Custom Quad is 84"W x 39.125D x 44.75"H. Available in ebony, fruitwood, golden oak, nautral oak, teak, walnut, or warm cherry finishes, or as sanded/ready to finish.

ITEM	DESCRIPTION	PRICE
RTQUAD-CUSTOM	Rolltop desk (select finish)	CALL

SOUND-CRAFT SYSTEMS

SOUND-CRAFT SYSTEMS ADA-2 SERIES LECTERNS

The ADA-2 Presenter™ lectern offers a stylish yet functional approach to ADA compliance that easily accommodates the mobility-impaired as well as the standing presenter. A conveniently located oversized rocker switch allows movement over a 10" range (31" - 41"), adjusting from an ADA-compliant height to a conventional standard lectern height. A spacious work surface provides more than ample space for laptops, and other presentation material, plus may be removed to access additional space for mounting small peripherals such as wireless receivers, controllers, etc. Seated presenters will appreciate the ease of entry and exit afforded by the oversized access area. For room-to-room mobility, the ADA-2 features 3" locking swivel casters that allow easy portability, yet lock it securely in place once positioned. Service access to the motor is provided by means of the removable work surface, while limit switches can be serviced through removal of an access panel. Overall dimensions are 47.5" W x 47.5" H x 30.75" D (raised), and 47.5" W x 37.25" H x 30.75" D (lowered). Shipping weight is 400 lbs.

ITEM	DESCRIPTION	PRICE
ADA-2L	Presentation lectern, charcoal laminate w/ scratch-resistant coating	CALL
ADA-2V	Presentation lectern, wood veneer finish	CALL

We service many of the major brands that we carry.
Call our Authorized Repair Department at ext. 1172

Honesty and Value since 1971

PEAVEY SANCTUARY SERIES MIXERS Featuring Peavey's Automix™ technology, this series of mixers turns down channels when not in use, minimizing unwanted noise (number of Automix™ channels varies per mixer.) Other series-wide features include the Feedback Ferret® automatic digital feedback elimination system and Mid-Morph™ equalization technology. Units other than the S4 feature digital reverb, vocal enhancers, stereo line channels that accommodate split-accompaniment audio tracks, Monitor Blend vocal/accompaniment mixing controls, and compression, among others.

ITEM	DESCRIPTION	PRICE
S4-SANCTUARY	1RU 4-channel rack-mount mixer, 4x XLR mic inputs, 4x 1/4" balanced line in, 4x 1/4" insert/dir out, 1x XLR & 1x 1/4" unbal out.	599.99
S14-SANCTUARY	12-channel rack-mount mixer, 10x XLR mic inputs, 10x 1/4" line ins, 2 stereo pr RCA & 2x 1/4" line ins (L/R), 2x XLR & 2x 1/4" monitor outs, 2x XLR & 2x 1/4" main outs, 1/4" bal. aux out, 1/4" unbal FX send, L/R RCA rec. out.	1299.99
S14P-SANCTUARY	Dual 500W powered version of the S14-SANCTUARY	1899.99
S24-SANCTUARY	21-channel mixing console w/3-band EQ, post fader send on monitors 1 & 2, 4x XLR-1/4" combo mic line ins, 13x XLR & 13x 1/4" bal. ins, 4x 1/4" TRS inserts, 2 stereo pair RCA & 2x 1/4" line ins (L/R), 1x XLR ambience mic in, 4 total XLR monitor and mains outs, 4x 1/4" outs and more	2099.99
S32-SANCTUARY	32-channel mixer, 20x XLR mic ins, 20x 1/4" bal line ins, 20x, 1/4" direct outs, 20x TRS inserts, 2 RCA stereo line channel in pairs & 1x 1/4" stereo pr (w/3 input selections), 2x XLR ambience mic ins, 1 ea 1/4" FX out/Aux out/Foot switch, 4-band EQ, variable low-cut filter on mic ins, 4x XLR monitor sends, 2x XLR broadcast outs, and more	CALL

PEAVEY SANCTUARY SERIES PORTABLE PA SYSTEMS The Escort PA system includes 2 speakers (with 10" woofers and piezo horns), a 5-channel 150W stereo mixer amp with 2 stereo line inputs, digital reverb, and 5-band graphic EQ with FLS (Feedback Locator System). Also comes with 2 speaker stands, 1 wired mic, and two 25' speaker cables. The TriFlex PA system offers 1000W of total power from two 8" two-way stand-mounted speakers and one 15" sub. Comes with stands, a cover, stands & stand/cable pouches. Only 24" wide, the Messenger system is made up of 2 speakers, 1 mic, and 1 mixer amp, and offers 100W of power as well as 5 channels of EQ. Also includes 1 XLR mic cable and 2x 15 ft. speaker wires. Features include Split-Track Mix for use of split-accompaniment audio tracks, Feedback Locator System, and channels 4 & 5 accommodate laptop audio, MP3 or CD players.

ITEM	DESCRIPTION	PRICE
ESCORT-3000	PA system w/ two 10" speakers, 5-CH 150W mixer amp	649.99
ESCORT-STAND	Stand for ESCORT-3000	40.49
MESSENGER	PA system w/ two speakers, 5-CH 100W mixer amp	399.99

PEAVEY SANCTUARY SERIES MICROPHONES The PM18S gooseneck podium mic features a cardioid back-electret condenser element, a collet-type mounting flange with mechanical isolation system, and a LED power indicator. The phantom-powered PVM480 super-cardioid condenser works well for use on hi-hats, overhead cymbal mic or instruments. The VCM3 is a phantom-powered miniature hanging overhead cardioid condenser for use when miking choirs or any stage sound reinforcement. Features a 32.5' slim profile mic cable, windscreen and hanging adapter. All mics come in black or white- please specify your desired color when contacting your sales pro.

ITEM	DESCRIPTION	PRICE
PM18S	Gooseneck podium condenser mic	129.00
PVM480	Super-cardioid condenser mic	199.99
VCM3	Cardioid condenser mini overhead mic	129.99

PEAVEY SANCTUARY SERIES SPEAKERS Ranging in size and type from small spot monitors to powerful subwoofers, this series offers houses of worship the chance to fulfill every sound amplification need possible. All models, except the SSE-ARRAY-CONTROLLER, are available in black or white. The SSE12M is also available in natural wood finish.

ITEM	DESCRIPTION	PRICE
IMPULSE-6	Indoor/outdoor mini 2-way speaker, 5.25" woofer, 1" tweeter, 200W peak, 70Hz-20kHz	119.99
SSE6-BLACK	2-way sound reinforcement speaker, 6.5" woofer, 150W program @ 8ohms, 100Hz-17kHz, four-pin Neutrik® Speakon® or a paralleled 2-position terminal block	379.99
SSE6-WHITE	Same as above, but in white	379.99
SSE10B	2-way flyable enclosure w/10" woofer, 400W program @ 8ohms, 80Hz-17kHz, black, four-pin Neutrik® Speakon® or paralleled two-position terminal block	479.99
SSE10W	Same as above, but comes in white	479.99
SSE10M	Floor monitor version of SSE10B	449.99
SSE12-BLACK	2-way flyable enclosure w/12" woofer, 500W program @ 8ohms, 79Hz-17kHz, four-pin Neutrik® Speakon® or paralleled two-position terminal block	529.99
SSE12-WHITE	Same as above, but comes in white	529.99
SSE12M	Floor monitor version of SSE12-BLACK	499.99
SSE15-BLACK	2-way flyable enclosure w/15" woofer, 500W program @ 8ohms, 74Hz-17kHz. four-pin Neutrik® Speakon® or paralleled two-position terminal block	599.99
SSE15-WHITE	Same as above, but comes in white	599.99
SSE26-SANCTUARY	Mountable speaker w/two 6.5" woofers, 300W program @ 8ohms, 100Hz-17kHz, four-pin Neutrik® Speakon® or paralleled two-position terminal block	479.99
SSE110	Wall-mount/stand-alone 10" subwoofer, 400W program, 61Hz-125kHz, four-pin Neutrik® & two-position terminal strip	329.99
SSE118	Flyable 18" subwoofer, 800W cont., 48Hz-500Hz, 4-pin Neutrik® in parallel with a terminal strip	1099.99
SSE210	Wall-mount/stand-alone/flyable subwoofer w/ two 10" woofers, 800W program, 62Hz-125Hz, four-pin Neutrik® and two-position terminal strip	529.99
SSE1564	2-way bi-amped enclosure w/15" woofer, 4" comp. driver, 60°x40° radiation angle, 4 pin Neutrik in parallel with a terminal strip	1299.99
SSE1594	2-way bi-amped enclosure w/15" woofer, 4" comp. driver, 90°x40° radiation angle, 4 pin Neutrik in parallel with a terminal strip	1299.99
SSE-LA	Flyable curved long-throw/near-field line array w/ sixteen 2" speakers, 400W program, 174Hz-18kHz, barrier strip inputs	699.99
SSE-ARRAY-CONTROLLER	Line array controller w/ 2-way crossover, mono bass summing, 2 banks quasi-parametric EQ, phoenix connector balanced inputs and outputs	309.99

CALL TO WORSHIP!

CALL TO WORSHIP!

EZ DUPE GOLD PREMIER CD/DVD DUPLICATION SYSTEMS

The Gold Premier series makes some of the options on the Gold Series standard. All models come standard with a 160GB HDD and USB2.0 interconnect. Stand-alone tower models only. Professional duplication with up to 22x speed for DVD+/-R, 8x for DVD+/-RW, 8x for DVD+/-DL, 52x for CD-R, and up to 32x for CD-RW. Available in 2- to 11-target configurations. Models shown below are most popular configurations, call for others. Units carry a 4-year manufacturer's warranty.

ITEM	DESCRIPTION	PRICE
GP3TSOB	3-target CD/DVD duplicator, Sony, 160GB HDD, USB2.0, black	499.00
GP5TSOB	5-target CD/DVD duplicator, Sony, 160GB HDD, USB2.0, black	659.00
GP7TSOB	7-target CD/DVD duplicator, Sony, 160GB HDD, USB2.0, black	809.00
GP9TSOB	9-target CD/DVD duplicator, Sony, 160GB HDD, USB2.0, black	1059.00
GP11TSOB	11-target CD/DVD duplicator, Sony, 160GB HDD, USB2.0, black	1239.00

EZ DUPE MEDIA MAVEN SERIES DVD /CD /MEDIA CARD DUPLICATION SYSTEM

This series of professional duplicators is lightning fast in reproducing mirror-image copies of virtually every type of media card with the optional media expander. It features a SATA drives for the most accurate transfer of data. Create DVD & CD copies from USB directly to disc with the touch of a button. Professional duplication with up to 8x speed for DVD, 52x on CD. Optional media expander writes to Micro SD, MS/MS Duo, Mini SD, SD/SDHC and MMC cards.

ITEM	DESCRIPTION	PRICE
MMM30	1 source, 3 target DVD/CD duplicator	479.00
MMM50	1 source, 5 target DVD/CD duplicator	629.00
MMM70	1 source, 7 target DVD/CD duplicator	769.00
MMM90	1 source, 9 target DVD/CD duplicator	1019.00
MMMEX	11 target media expander for multi-media maven	22.95

MICROBOARDS Technology

MICROBOARDS COPYWRITER® LIVE

Let CopyWriter Live bring digital-quality audio to your church, school, studio, or boardroom. Record from practically any audio source, including live feed from a microphone, a cassette deck, a mixer, and many others. Make a high-quality CD on this low-cost, easy-to use unit every time, or make backup copies of audio or data for long-term storage. You can even span from disc to disc to record non-stop for hours on end. It features two 20x CD-R/RW drives, 2 pairs of RCA inputs (1 rear/1 front), 1 pair of RCA outputs (rear), one 1/4" mic input (front), 1 pair of XLR inputs (rear), and 1 headphone monitoring jack. Supports CD ROM Mode 1&2, CD-DA, CD-ROM/XA, mixed mode, multi-session, HFS CD Bridge, CD extra, and video CD formats. Includes 2RU rackmount kit.

ITEM	DESCRIPTION	PRICE
COPYWRITER-LIVE-6200	CD duplication system	699.00

MICROBOARDS G3 SERIES DISC PUBLISHERS

The G3P-1000 DVD/CD disc publisher has a single recorder, with 50 disc input capacity. It burns 24x for DVDs, and 48x for CDs. Utilizes HP inkjet technology to produce images at up to 4800dpi via a single tri-color cartridge (GX-300HC). The G3PBD-1000 shares the same features but adds 8x Blu-Ray disc publishing capability. The G3A-1000 is an autoprinter version only. Compatible with Pentium 4 3.0GHz or greater machines running: Windows and Intel-based Macs OSX 10.5+ compatible. Comes with PRINTWRITE-2 disc publishing software.

ITEM	DESCRIPTION	PRICE
G3P-1000	DVD/CD Disc publisher, 50-disc input	1495.00
G3PBD-1000	BD/DVD/CD Disc publisher, 50-disc input	2495.00
G3A-1000	Auto-Printer only, 50-disc input	1095.00
GX-300HC	Replacement color ink cartridge for G3 series	49.95
PRINTWRITE-2	Disc publishing/label printing software	310.70

MICROBOARDS Technology

QD-DVD

MICROBOARDS QD/QDH SERIES DVD/CD DUPLICATORS

Affordable duplication solutions for copying audio, video, or data. They feature small desktop footprints, and use an easy-to-use 4 button touch panel interface. Supported formats include DVD-R, DVD+R, DVD Video, DVD-ROM, DVD-DL, All CD formats including CD+G. Also features copy verification & track extraction features, USB 2.0 interconnect, and Zulu2 disc mastering software. 1 year manufacturer's warranty.

ITEM	DESCRIPTION	PRICE
QD-DVD	1 to 1 DVD (22x)/CD (48x) duplicator, USB2.0	229.00
QD-DVD-123	1 to 3 DVD (22x)/CD (48x) duplicator, USB2.0	399.00
QD-DVD-H123	As QD-DVD-123, adds 250GB HDD	449.00
QD-DVD-125	1 to 5 DVD (22x)/CD (48x) duplicator, USB2.0	519.00
QD-DVD-H125	As QD-DVD-125, adds 250GB HDD	569.00
QD-DVD-127	1 to 7 DVD (22x)/CD (48x) duplicator, USB2.0	599.00
QD-DVD-H127	As QD-DVD-127, adds 250GB HDD	649.00
QD-DVD-1210	1 to 10 DVD (22x)/CD (48x) duplicator, USB2.0	749.00
QD-DVD-H1210	As QD-DVD-1210, adds 250GB HDD	799.00

Recordex USA

RX100PC

RECORDEX RX-100 SERIES CD DUPLICATORS

These small, high-capacity duplicators boast a professional gravity disc feeding system (as opposed to robotic picking arms) that can load and unload a disc in just 3 seconds. You can leave it unattended for hours with the 100-disc input and output bin. Duplicators feature single master and multi-master copy modes, allowing for multiple simultaneous operations. Enclosed design system keeps the unit dust-free and nearly silent. The RX-100PC includes a premium software suite that allows it to rip CDs to MP3s, back up data, create and restore ISO files, erase RW discs, duplicate data discs, and burn copies of audio files. In addition to MP3, the unit supports WMA, WAV, and OGG formats. The RX-100 SA is a stand-alone unit featuring a removable hard drive tray, allowing you to attach a hard drive for storing disc images.

ITEM	DESCRIPTION	PRICE
RX100PC	PC-attached CD/DVD multi-function duplicator	495.00
RX100SA	Professional standalone CD/DVD duplicator	595.00

SJ50

RECORDEX STUDIOJET™ AUTO PRINTERS

These are auto printers that create photo-quality results in under a minute. They have a smart dual cartridge system which prints true black while saving the color cartridge specifically for color applications only. Up to 500-disc throughput with 1 set of ink cartridges. Compatible with most major brands of optical media. Both printers use standard off-the-shelf HP ink cartridges (HP56 black, HP57 color). Minimum system requirements – Pentium 233MHz or higher, 256MB RAM, available USB2.0 port, WinXP(SP2), or Vista (32bit), 50MB HDD space. Note: these printers are not compatible with Mac OS, or 64bit versions of Windows. Units ship with 1 black cartridge, 1 color ink cartridge, USB cable, installation disc, user manual, power cord, power adapter, and Discus Label Editing software. Both printers carry a 1-year parts & labor manufacturer's warranty, and free technical support.

ITEM	DESCRIPTION	PRICE
SJ50	Auto printer, inkjet, 4800dpi – 50-disc input and output	1295.00
SJ100	Auto printer, inkjet, 4800dpi – 100-disc input and output	1495.00

FOR MORE DUPLICATION SYSTEMS AND AUTO PRINTERS
SEE PAGES 240-243

CD AND DVD MEDIA
SEE PAGES 500-501

PRICES SUBJECT TO CHANGE WITHOUT NOTICE.
Call today or visit us online!

Honesty and Value since 1971

VIDEO PRODUCTION PACKAGES

Looking to get a start into video production, or need to upgrade to HD? These core packages will get you on the right path. Full Compass offers a multitude of product options in each category. Call your Sales Pro to configure a full system.

STANDARD DEFINITION PACKAGE

Looking to get into broadcasting on a budget? By staying in SD, your entry cost can be lower.

SE-500-KIT
Video Switcher w/ TLM-702 Monitor
Page 292

AGDVX100BPS
SD Camera
Page 315

MXO2MINID
Video Capture Device
Page 291

701HDV,755XBK
Tripod Kit
Page 330

SMALL PRODUCTION PACKAGE

With this system you can do standard definition, and transition smoothly to HD production. This package utilizes robotic cameras and a hard disk recording solution to allow operation by a single person.

BRBKHD2
SDI Output Option Card for BRCZ300
Page 326

BRS200
Remote Camera Operating Switcher
Page 326

HDR-50
SD/HD Hard Disk Recorder/Player
Page 338

BRCZ330
SD/HD Remote Camera
Page 326

CALL TO WORSHIP!

MEDIUM PRODUCTION PACKAGE

Create HD content with just one box. Using the Newtek TriCaster system, you can record, stream and broadcast your production.

TRICASTER-LC11
LiveControl Switcher Control Surface
Page 300

GYHM750U
HD Camera
Page 314

TRICASTER-TIMEWARP
Clip Playback Control Surface
Page 300

TRICASTER-XD300
Broadcast System
Page 300

504HD,546GBK
Tripod Kit
Page 328

LARGE PRODUCTION PACKAGE

Step up to a full broadcast production suite. Produce HD content, from the camera to the display.

AGHPX370PJ
HD Camcorder
Page 315

300 STUDIO
Studio Kit for AGHPX300
Page 316

T2-IDDR
1-In/2-Out Digital Disk Recorder
Page 339

AVHS400A
Compact Live Multi-Format Switcher
Page 296

SYSTEM-FSB6-2MD
Tripod Kit
Page 331

MOBILE PRODUCTION PACKAGE

Take the show on the road! Utilizing a Sony AnyCast system, you have the flexibility to produce videos anywhere.

XF105
Professional Camcorder
Page 312

BKAW-580
SDI Input Card
Page 299

ELITE AL PRO
1 TB Hard Drive
See our web site for details

ANYCAST
A/V Production Switcher
Page 299

501HDV,546BK
Tripod Kit
Page 328

CALL TO WORSHIP!

IKAN TELEPROMPTERS

PT1000

The PT1000 teleprompters mount to your camera's hot shoe and sit above the lens as an "over the lens" teleprompter. Both models feature VGA, S-Video and composite inputs, an infrared remote control, anti-glare screen, a rear t-channel mount, auto shut-off feature, onscreen display control, and Mac/PC & NTSC/PAL compatibility. The PT2100 is designed for smaller HD prosumer camcorders and features 70/30 TPT glass and ikan's V8000 8" 4:3 LCD monitor. It is Mac/PC compatible and also features a rear t-channel mount and all necessary mounting hardware. The PT3100 offers a 15" LCD monitor and a camera lift to perfectly center your camera. All models come with ikan's Prompter Pro 2.0 software.

ITEM	DESCRIPTION	PRICE
PT1000	8" 4:3 LCD teleprompter w/ mounting arm	649.00
PT1000W	Widescreen 16:9 version of PT1000	699.00
PT2100	Through-glass teleprompter for smaller HD prosumer camcorders	800.00
PT3100	15" location/studio teleprompter w/camera lift	1399.00

JVC SRHD1250US/SRHD1500US BLU-RAY™ DISC & HDD RECORDERS

SRHD1250US

Make professionally authored Blu-ray or DVD discs from videos created with an HD camcorder- without a PC. Internal hard disk drive allows you to edit video transferred from camcorders and then assemble them into a completed disc project. Down-convert HD video to SD for burning on DVD discs. High definition H.264 recording is supported in the AF (Apx. 12.9Mbps), AN (Apx. 8.6Mbps), AL (Apx. 5.7Mbps) and AE (Apx. 4.3Mbps) modes. Capable of converting HD video to standard def. 4-pin for DV and HDV inputs. The SR-HD1500 adds support for .MOV files, and includes RS232C D-sub 9-pin terminal for control via PC.

ITEM	DESCRIPTION	PRICE
SRHD1250US	Blu-ray recorder, 250GB	995.00
SRHD1500US	Blu-ray recorder, 500GB	2295.00

MICROBOARDS EZCASTER ENCODER & WEBCASTERS

The EZCaster encoders and smart online management software make streaming live video to the web simple with the touch of a button. The encoders feature 7" LCD touch screens, 7kbps-8Mbps video compression, an Intel Core 2.66 GHz processor, Windows XP embedded, 1GB of DDR2 memory, ethernet, USB and PS-2 keyboard/mouse connections, and built-in B-G Wi-Fi. Audio input connectors include RCA line (L/R), 1/8" stereo, 1/8" mic, and 1/8" speaker output. Purchase includes free streaming service for 60 days, or 10-hours of on-demand video from TechWerks. Further use is subject to subscription plans from TechWorks. More information available here: **http://www.tech-werks.net/time_calc.php**

MODEL NUMBER	ENCODES	VIDEO INPUTS	OTHER FEATURES
EZWMV	WMV Files	Analog - Composite RCA	
EZWMV-R	WMV Files	Analog - Composite RCA	Rackmount
EZWMV-BX	WMV Files	Analog - Composite Dongle, XLR / BNC	
EZWMV-BX-R	WMV Files	Analog - Composite Dongle, XLR / BNC	Rackmount
EZ264-BX	MP4 Files, Flash Video	SD, HD-SDI, Component HD, Analog - Composite RCA / Dongle	Rackmount, DVD Recorder
EZ264-BX-R	MP4 Files, Flash Video	SD, HD-SDI, Component HD, Analog - Composite RCA / Dongle	Rackmount, DVD Recorder

ITEM	DESCRIPTION	PRICE
EZWMV	Analog encoder	1999.00
EZWMV-R	Analog encoder, rackmountable	1999.00
EZWMV-BX	Analog encoder	2149.00
EZWMV-BX-R	Analog encoder, rackmountable	2149.00
EZ264-BX	Digital encoder w/ DVD recorder	2649.00
EZ264-BX-R	Digital encoder w/ DVD recorder, rackmountable	2649.00

NEWTEK TRICASTER XD300 PORTABLE LIVE HD VIDEO PRODUCTION SOLUTION

Like all other TriCasters, the XD300 allows you to edit, switch, add graphics, video transitions, titles, and virtual studio sets for HD video. It also lets you record, broadcast/stream, and mix audio on live and recorded. The XD300's live production capabilities allow you to switch between a maximum of 3 HD or SD cameras and digital or analog audio inputs. This function can simultaneously broadcast to a video output or projector, as well as to the Web. Cameras, clips and iVGA™ networked computer inputs can be sent to a second display for easier monitoring in a larger work environment. Color waveform monitors and vectorscopes allow you to tweak your video to its optimum definition. The XD300 allows you to incorporate 5 customized 'virtual' inputs- layering virtual sets, titles, picture-in-picture effects and more into your production. It also features an on-board DDR for video storage as well as storage of virtual set templates, titles, graphics, etc. It has HD-SDI, HD component, SD-SDI, SD component, Y/C (BNC) and composite video inputs- 3 of which can be used at once. Also includes 3 BNC audio inputs, 3 SDI embedded audio inputs, 3 HD-SD-SDI & 3 HD/SD-component video outputs, 4 AES/EBU audio outs (2 program, 2 aux), and more video and audio I/O.

ITEM	DESCRIPTION	PRICE
TRICASTER-XD300	HD live production solution	CALL

PANASONIC PT-LB90 / 78 SERIES LCD PROJECTORS

PT-LB90NTU

These lightweight LCD projectors (6.5 lbs) feature advanced dust-resistant design, Daylight View 4 for clear images in bright surroundings, 3x digital zoom, quiet operation (29dB), 3-second speed start, source auto search, real-time keystone correction, direct power off (fan continues after unplugged), easy rear lamp replacement, and anti-theft features. In Low Eco standby mode, power is reduced to 0.9W to save energy. The included short throw lens can project 33-300" (diagonally) from less than 30ft, and it has a contrast ratio of 500:1. Connectivity includes composite, S-Video and dual RGB/YPbPr inputs (RGB2 can be switched to provide a monitor output), and RS232C. All projectors include wireless remote control, VGA cable, carrying bag, and Wireless Manager ME 5.0 for Vista/Mac OS X(CD-ROM). The network (PTLP90NTU) model includes Live mode (projected image is the same as on the PC screen) and Multi-Live mode (wirelessly connect with multiple PCs.)

ITEM	DESCRIPTION	PRICE
PTLB78VU	XGA (4:3) 1024x768, 3000 lumens	1399.00
PTLB90NTU	XGA (4:3) 1024x768, 3500 lumens, wireless	1949.00
PTLB90U	XGA (4:3) 1024x768, 3500 lumens	1699.00
ETLAB80	Replacement lamp unit	316.20
ETPKB80	Ceiling mount bracket	365.80

SANYO PLC-XM100/150 PORTABLE MULTIMEDIA PROJECTORS

PLCXM150L

One of the brightest family of projectors available, with interchangeable lenses, and featuring high quality images. The PLC-XM100 is a 5000 lumen unit, while the PPLC-XM-150 is 6000 lumens. Both models support true XGA (1024x768), and a 1000:1 contrast ratio. They have a throw distance of 4.3' to 75.1' and a projection image (diagonal) of 40" to 400". Other features include power zoom and focus, horizontal/vertical keystone correction and horizontal/vertical lens shift. Inputs include DVI-D (HDCP), D-sub, composite, component & S-video with audio on RCA & stereo mini jack. Outputs include D-sub for video and stereo mini jack for audio. They also have RJ24 for wired LAN and USB (type B) for mouse control. (Note: L models do not include a lense, allowing you to choose from short to ultra long zoom lenses.)

ITEM	DESCRIPTION	PRICE
PLCXM100	5,000 lumen projector, 21.3lbs	2995.00
PLCXM100L	5,000 lumen projector, without lens, 19.6lbs	2595.00
PLCXM150	6,000 lumen projector, 21.3lbs	CALL
PLCXM150L	6,000 lumen projector, without lens, 19. lbs	CALL
LNS-W21	Short fixed lens	CALL
LNS-W20	Short zoom lens	CALL
LNS-S20	Standard zoom lens (standard on PLC-XM100/150)	CALL
LNS-T20	Long zoom lens	CALL
LNS-T21	Ultra-long zoom lens	CALL

CALL TO WORSHIP!

CALL TO WORSHIP!

SONICSHOCK

SONIC SHOCK 4 ALARM SYSTEMS Popular devices for deterring theft of flat screen displays, projectors, and computers. Cutting or unplugging an electronically monitored tether triggers the siren. There's no motion trigger, so there are no false alarms. If triggered, the siren sounds for over an hour. Constructed of 1/16" stainless steel, these alarms are ideal for commercial applications. The lock cores can be replaced. The base plate is bonded to the equipment with a methyacrylate bonding agent (the same adhesive used on automobile bumpers). The alarm module snaps onto the baseplate. Arming the alarm also locks the module on. A 10 ft. sensor snares around an immoveable object, and the sensor loop plugs into the alarm module. Cutting or unplugging triggers the alarm. All keys are custom made. Base Sonic Shock 4 model will adhere to any computer with at least a 2" x 3.8" flat surface. Operates on a single 9V battery, which lasts up to 5 years.

ITEM	DESCRIPTION	PRICE
SONICSHOCK4	Sonic Shock 4 kit including alarm module, mounting plate, and sensor tether. (glue and keys not included, see below)	85.55
SONICSHOCK-PLASMA	Same as above, except unit is 2" x 5.4" (more surface area for glue to adhere to)	114.55
CUTKEYS	Key to lock/activate Sonic Shock alarms, each	1.16
GLUECARTRIDGE	25ml methacrylate cartridge used for affixing alarm base plate. Typically one cartridge can cover up to 6 alarms, (4 alarms on Plasma model)	5.22
TRAPLINE	Daisy-chainable sensor to monitor other equipment not secured with an alarm. Includes connector with detector switch and a 5 ft. cable	17.40

SENNHEISER

SENNHEISER
EVOLUTION G3 100 SERIES ENG WIRELESS

EW100ENG-G3 Kit Includes:

- SK100-G3 bodypack transmitter
- EK100-G3 portable receiver
- SKP100-G3 plug-on transmitter
- ME2 omni lapel mic
- CL1 & CL100 line cables
- CA2 camera shoe mount adapter

EK100-G3 receiver has Adaptive Diversity (use line cable as second antenna), unbalanced audio output on 3.5mm jack and operates on 2 AA batteries, yielding 6-8 hours of use. (Note: SKP100-G3 plug-on transmitter does not pass phantom power.)

ITEM	DESCRIPTION	PRICE
EW100ENG-G3	UHF portable ENG wireless kit	799.95
EW112P-G3	UHF portable bodypack system w/ME2 omni lapel mic	599.95
EW122P-G3	UHF portable bodypack system w/ME4 cardioid lapel mic	599.95
EW135P-G3	UHF portable handheld system w/MD835 dynamic cardioid head	599.95

SONY

SONY ANYCAST STATION A/V PRODUCTION SWITCHING SYSTEMS

Portable all-in-one systems for live content creation. Combines the functions of a 6-input video switcher, 6-channel audio mixer, special effects generator, source, program and preview monitoring, VISCA camera remote controller, character generator, encoder & web streaming server, and hard disc recorder, into a laptop-size package. For live event programming, staging, presentations, and conferencing. Also designed for distance learning and house of worship productions. RGB output for projector display. Choose from a variety of modules to suit your purposes.

ITEM	DESCRIPTION	PRICE
AWSG500E	Non-configured HD/SD system, no modules included	CALL
BKAW550	Dual PC RGB interface module	1566.94
BKAW560	Dual HD analog component video interface module	2540.16
BKAW570	Dual SD analog component video interface module	1479.89
BKAW580	Dual video standard interface module	1958.68
BKAW590	Dual HDSDI interface module	2784.77

SONY

SONY EVID100 PAN / TILT CAMERA Sony's EVI-D100 camera is ideal for any application that requires a high-quality color video camera with the flexibility of remote pan/tilt/zoom operations. It is a high quality CCD camera that combines a high-speed, pan/tilt with a wide angle view and 40x zoom (10x optical + 4x digital). The EVI-D100 features auto focus, auto white balance and automatic exposure control.

ITEM	DESCRIPTION	PRICE
EVID100	CCD camera, 40x zoom	883.82

SONY BRC-Z330 SD/HD CMOS REMOTE CAMERA

Featuring 2 1/3-type ClearVid CMOS sensors, this camera achieves both high resolution and high sensitivity for capturing in 1080/59.94i, 1080/50i, 720/59.94P, and 720/50P. For capturing small or distant objects, it utilizes an 18x optical auto-focus zoom lens (72x with digital zoom). The 'color masking' function allows users to adjust specific colors in the image more precisely, while the 'color detail' function allows users to smooth over skin tones. The 'image flip'function allows the camera to be mounted on a ceiling or flat surface. Other features include pan/tilt/zoom functions and 16 preset patterns, which can be controlled by the optional RM-BR300 remote control unit. The camera has an extremely quiet motor and is capable of very precise movements. HD video out is D-Sub 15 pin (component (Y/Pb/Pr) or RGB), HD, VD or SYNC. SD video out is composite and Y/C.

ITEM	DESCRIPTION	PRICE
BRCZ330	SD/HD CMOS remote camera	CALL
RM-BR300	Remote control	1331.26

tvone

TVONE C2-2450A EDGE BLENDER Based on TV One's exclusive CORIO®2 technology and enables easy Edge Blending using 2 or more units. Edge blending allows the display of a single image from multiple projectors or monitors, increasing the displayed size of the image. DVI and RGB inputs and outputs at virtually any resolution and refresh rate are supported. All settings are stored in non-volatile memory and retained even when power is switched off. All functions are controlled by the front panel, infrared, RS-232 or though Ethernet. Zoom image to 10X or shrink down to 10%. Inputs include DVI-D and analog RGB, outputs are DVI-I and analog RGB.

ITEM	DESCRIPTION	PRICE
C2-2450A	Edge blending processor	1695.75

vaddio
REDEFINING CAMERA CONTROL

VADDIO PRODUCTIONVIEW™ FX CAMERA CONTROL SYSTEM Provides transitions and effects, plus 72 total internal camera presets (6 x 12 each camera). 6x2 video switcher (Main and Preview) with built-in 4" LCD monitor. It features a 3-axis joystick for up to 6 PTZ cameras. Transitions on Preview bus include fades (in, out, black), cross fades, and wipes (up, down, left, right, corner). 6 discrete auto-sensing camera control ports. Master RS-232 port for external control systems. AutoVIEW contact inputs for camera switching.

ITEM	DESCRIPTION	PRICE
PRODUCTIONVIEW-FX	Camera control system w/ transitions & effects	3236.40

Tenemos ventas y servicio en Español.
Expertos que hablan Español disponibles en x1178 y x1164.

Honesty and Value since 1971

buhl

BUHL MEDIA XMS DIGITAL PRESENTATION PLAYER A completely portable presentation player that connects to any TV or projector (up to 1080i) to playback presentations, video, pictures and audio files. Simply plug a flash drive or SD card (not included) into one of the two available USB ports or SD card slot and connect the MediaPlay XMS to your TV or projector. No PC is required. Plays MPEG-1/2, RealMedia and Divx videos, MP3 and WMA audio files, and JPEG and GIF images. Connect via VGA, component or composite video and RCA audio connections.

ITEM	DESCRIPTION	PRICE
XMS	Digital presentation player	105.00

BUHL BUHLFX 2000 DIGITAL SIGNAGE SYSTEM The BuhlFX 2000 includes everything needed for a standalone digital signage system. Video, pictures, motion graphics and more can be used. Import videos and pictures from a variety of popular formats via flash drive and store them on the 80GB hard drive. Plug and play hardware with wizard and template driven software combine for quick and easy setup. Easy setup by using either Ethernet or WiFi. Connect the BuhlFX 2000 to any monitor or projector (not included) via VGA, DVI or HDMI connections. Audio is through a Toslink optical connection, which supports 5.1 audio. Includes Buhl Digital Signage Pro Software and a 1 year warranty.

ITEM	DESCRIPTION	PRICE
BUHLFX-2000	Digital signage system	1248.75

Gefen

NEW!

GEFEN DVI VIDEO WALL CONTROLLER Creates a 2x2 video wall for digital signage applications with a max resolution of 1920x1200p60 supported on each output. Many configurations are available including full-screen enlargement, horizontal array, 4 identical displays and more. Multiple input and output resolutions are supported and automated control is supported with RS232. Rack ears, IR remote control, 6' DVI cable and 6' DB9 serial cable included.

ITEM	DESCRIPTION	PRICE
EXT-DVI-VWC-242	Video wall controller for digital signage	1007.18

GEFEN HD DIGITAL SIGNAGE PLAYER Create an effective digital signage solution using the Signage Player which features easy-to-use software, scalable distribution and control. HDMI or VGA outputs support video content to 1080p with a single cable. Using the included software, content can be scheduled into a playlist and is transferred over IP to the 2GB internal memory. HDMI, VGA, 3.5mm mini stereo analog, RJ-45, and USB 2.0 connections. Comes with side-slotted brackets for mounting behind the display or on the wall.

ITEM	DESCRIPTION	PRICE
EXT-HD-DSP	HD digital signage player	981.98

CablesToGo™
Service Through Every Connection

NEW!

CABLES TO GO TRULINK® WIRELESS DIGITAL SIGNAGE DISTRIBUTION SYSTEM This system enables video with stereo audio to be distributed and synchronized wirelessly across multiple displays. The 802.11a/g wireless capabilities allow easy installation of digital signs in locations where running cables is difficult. Can also be used in wired mode using standard Cat5/6 cables. Supports up to 32 screens wirelessly or supports up to 1000 screens in wired mode. Wireless mode supports distances up to 100' by using the included antennas in an indoor environment while wired mode supports distances up to 3000'. Supports resolutions up to 1280x1024 @ 20fps, 1024x768 @ 30fps. Supports 10Base-T/100Base-TX & 802.11a/g. Connections include DVI-I, VGA and dual RCA audio. One year warranty.

ITEM	DESCRIPTION	PRICE
29505	TruLink wireless digital signage transmitter	687.88
29506	TruLink wireless digital signage receiver	687.88

DA-LITE

DA-LITE HOLO SCREEN HOLOGRAPHIC REAR PROJECTION SYSTEMS FOR DIGITAL SIGNAGE The Holo Screen is a holographic rear projection screen for point-of-sale and digital signage applications in retail stores, window displays, airports, banks and other high traffic areas. Available in sizes up to 108" x 300", the Holo Screen features an advanced holographic technology that displays images projected from 18-35 degrees. The result is a remarkably bright and clear image – even in brightly lit environments. The transparent display allows viewers to look at and see through the screen. Available in video and HDTV format sizes, all screens include top mounting hardware. Partial sizes listed below, call for smaller screens & custom quotes on sizes larger than 108" x 144", up to 108" x 300". Please allow reasonable lead-time on shipping quotes on larger screens due to freight shipping.

ITEM	DESCRIPTION	PRICE
Video Format		
21497	60"x80" viewing area, 100" nom diagonal, 1/4" thick, 300lbs ship wt	2550.04
21498	72"x96" viewing area, 120" nom. diagonal, 1/4" thick, 432lbs ship wt	CALL
21508	90"x120" viewing area, 150" nom. diagonal, 3/8" thick, 631bs ship wt	CALL
21509	108"x144" viewing area, 180" nom. diagonal, 3/8" thick, 857lbs ship wt	CALL
HDTV Format		
21502	45"x80" viewing area, 92" nom. diagonal, 1/4" thick, 225lbs ship wt	1273.69
21503	52"x92" viewing area, 106" nom. diagonal, 1/4" thick, 324lbs ship wt	1833.68
21510	65"x116" viewing area, 133" nom. diagonal, 3/8" thick, 471lbs ship wt	CALL
21511	78"x139" viewing area, 159" nom. diagonal, 3/8" thick, 678lbs ship wt	CALL

SANYO

NEW!

CE42LH2WP

SANYO DIGITAL SIGNAGE LCD MONITORS Sanyo's weatherproof large screen monitors are sealed in weather-tight aluminum cabinets and intended for outdoor use with anti-reflection tamper glass. The robust monitors offer a non-glare acrylic panel that protects it from a variety of environmental issues such as dust and food oil. All monitors offer a "no holes" ventilation design and can be mounted in landscape or portrait modes. All models include composite/RGB/component (YPbPr) in/output (loop through) and stereo audio (RCA x2). A DVI-D input is available on the CE42LH2WP & CE52SR2 models while HDMI is also available on the CE52SR2. The 52" CE52SR2 daylight-readable monitor also offers up to 1500 (cd/m^2 for panel) brightness with ideal conditions under daylight. Optional PJ-Net Organizer Plus allows network control.

ITEM	DESCRIPTION	PRICE
CE42LH2WP	42" IP66 rated weatherproof LCD display, HD (1920x1080)	CALL
CE52SR2	52" IP66 rated weatherproof LCD display, HD (1920x1080)	CALL
POA-LN01	PJ-Net organizer for CE42LM4N	CALL
POA-LN02	PJ-Net organizer for CE42LH2WP & CE52SR2	CALL

SANYO PID-42AE1 42" LCD MONITOR Equipped with PID (Public Information Display), it offers portrait enable, dust protection, and a rugged design. Video and graphics can be displayed in seamless high-quality HD at 1920x1080 and 16:9 aspect ratio. Orientation can be landscape or portrait. It offers technologies such as PIP, where another small image is displayed in a big image, and POP, where 2 images are displayed right & left at the same size. It has various inputs & outputs including component (Y,Pb,Pr) or RGBHV in/out with 5-BNC, composite video in/out with BNC, and RS-232 control port (serial D-Sub 9) in/out for daisy chain connection. There are computer inputs (a D-Sub 15 RGB terminal) and DVI-D in with HDCP for HD signals. There are also jacks for external speakers. Includes manual, remote control with batteries, & AC power cord.

ITEM	DESCRIPTION	PRICE
PID-42AE1	42" LCD monitor, 1080p, PID	1195.00

CALL TO WORSHIP!

SONY

FWDS42H1TOUCH

SONY INTERACTIVE LCD TOUCH SCREEN MONITORS

These 42" and 47" LCD monitors use 3M's optically clear Dispersive Touch Technology (DST) within the Sony factory LCD housings. The technology is designed for high traffic, high use environments, and serves as an extra layer of protection for the LCD panel itself. Supports gesture functions and offers the users standard USB 2.0 touch interface with touch connections located in the connector bay area of the LCD. All models feature 1920x1080 native resolution and 1000:1 contrast ratio. They support audio in/out (pinjack), DVI-D, composite video out, Ethernet, HD component I/O, S-Video, and video-in interfaces. Also equipped with a network port for remote control/monitoring. An option slot accepts a range of adapters for versatility.

ITEM	DESCRIPTION	PRICE
FWDS42E1TOUCH	42" LCD touch screen, 500 cd/m2 brightness	3144.19
FWDS42H1TOUCH	42" LCD touch screen, 700 cd/m2 brightness	3357.25
FWDS47H1TOUCH	47" LCD touch screen, 700 cd/m2 brightness	CALL

SONY GXDL-52H1 52" FULL HD DIGITAL SIGNAGE LCD DISPLAY

This 920x1080 HD screen works well in semi-outdoor environments such as stadiums, airports, and train stations. Features burn-in resistant LCD technology, an IP30-rated dust & tamper-resistant aluminum chassis, replaceable tamper-proof glass, a LAN connection for status and control, internal heat sink, 1 HDMI in, and 1 DVI in. SNMP compatible for remote status and diagnostics purposes.

ITEM	DESCRIPTION	PRICE
GXDL52H1	52" Full HD LCD display for digital signage	CALL
BKMFW15	HDMI input adapter	113.19
BKMFW16	HD-SDI adapter	879.89
ICSFW40D	HD streaming card for digital signage w/ 60 GB HDD	888.31
VSPNS7	HD storage player for digital signage	1522.92
BKMFW21	Monitor RS232 control adapter	113.19

SONY VSP-NS7 DIGITAL SIGNAGE PLAYER

The VSP-NS7 has advanced digital signage functionality with a simple drag and drop software management tool. It is HD compliant to 1920x1080 for graphic files, and 1280 x 720 for HD video. It has Seamless Sequential Playout with no black during video switching, easy keying capability for logo insertion over video playout, and content rotation to rotate video for portrait playback. The NS7 has the ability to play back WM9HD. It has control over projectors and display devices, general scheduling, and NS7 management. Content can be sent from the Central management PC to the NS7 to update storage. It features Five Layer Playback including Bitmap, JPEG, Browser, Video, and Telop. Connectivity includes a Live IP Camera Input, two RS232 ports, four USB ports, PS/2 mouse/keyboard, Ethernet, analog RGB D-Sub 15pin, and 1/8" stereo audio output. Monitoring software is sold separately.

ITEM	DESCRIPTION	PRICE
VSPNS7	HD storage player for digital signage	1522.92
VSPAM7	Monitoring software for VSPNS7	609.17

SPINETIX

SPINETIX HMP100/200 DIGITAL SIGNAGE MEDIA PLAYERS

These media players are a unique alternative to proprietary, PC based solutions for digital signage. With the HMP100 and HMP200 SpinetiX offers a new and simplified way to schedule, combine, update, stream and display content, whether it be audio, video, vector graphics, pictures or text. Great for use in interactive displays or videowalls and in a variety of settings including advertising, transportation, hospitality, finance and live events. Their fanless design and the absence of moving parts make these boxes extremely durable and well-suited for harsh environments. And their small design means they can be hidden nearly anywhere. Both players feature internal flash memory, flash drive and HDD support via USB, HDMI and VGA outs, 1/8" TRS audio out, real time event communication, horizontal and vertical display capability, animation capabilities, and support for touchscreen, keyboard, joystick, gamepad or mouse interaction. The HMP200 adds full HD 1080p video, and has 8GB of internal memory.

ITEM	DESCRIPTION	PRICE
HMP-100	Hyper Media Player, 4GB, 720p	1795.00
HMP-200	Hyper Media Player, 8GB, 1080p	2199.00
HMD-PRO	Hyper Media Director software license, single	1699.00
HMD-SITE	Hyper Media Director software license, 20 seats	CALL

TOTE VISION

TOTEVISION LED DIGITAL SIGNAGE MONITORS

Ideal for digital signage, production or hospitality situations, these LED monitors feature a true high definition image with no downscaling and a durable metal case with an even front bezel. All controls are located on the back of the units. Both models feature ATSC/QAM tuners and 1920x1080 resolution. The LED-2361HDMT is 23", with a contrast ratio of 1,000:1, and inputs for composite, component, HDMI, S-Video, VGA and RS-232 control. The LED-4200HDMT is a higher-end 42" model with a 4000:1 contrast ratio with inputs for composite (x2), component (x3), S-video (x2), HDMI (x2), VGA (x1), RS-232 control (x1), and multiple RCA audio inputs.

ITEM	DESCRIPTION	PRICE
LED2361HDMT	LED monitor, 23", 1920x1080	746.00
LED4200HDMT	LED monitor, 42", 1920x1080	1850.00

TOTEVISION LCD-1701TS TOUCHSCREEN MONITOR

This 17" touchscreen LCD monitor is ideal for use in educational displays or informational kiosks. Features a 5 wire resistive touch screen with a wide 170° viewing angle and low power consumption. It has 1280x1024 (SXGA) resolution, 1,000:1 contrast ratio, CCFT back light, 2 x 2W built-in speakers, VGA 15-pin mini D-SUB input, and USB connection for the touch screen.

ITEM	DESCRIPTION	PRICE
LCD1701TS	Touchscreen monitor, 17", 1280x1024	837.00

CALL TO WORSHIP!

We service many of the major brands that we carry.
Call our Authorized Repair Department at ext. 1172

Honesty and Value since 1971



INTELLISTAGE PORTABLE STAGE SYSTEMS

Consisting of modular, lightweight yet rugged platforms and collapsible risers, IntelliStage systems can be set up in a wide variety of heights and configurations by a single person. Sturdy and durable, platforms are capable of bearing weight up to 185lbs/sq ft and are available in carpet or duraflex finish. When it's time to break down, you'll find that disassembly and storage are equally convenient. IntelliStage systems are available in kits with an optional compact storage flight case featuring integrated casters to transport your stage just about anywhere. As your needs grow, so can your stage system – platforms and risers are also available on an individual basis. Optional upgrade accessories like storage cases for larger systems and stage skirts are also available. Numerous options available, please call for assistance. Common setups listed below.

ITEM	DESCRIPTION	PRICE
96 Square Ft Stage – 12'x8' Stage System (6 - 4'x4' carpeted platforms)		
ISTAGE1288	8" high complete stage system (6 matching risers, 8")	1649.99
ISTAGE12816	16" high complete stage system (6 matching risers, 16")	1699.99
ISTAGE12824	24" high complete stage system (6 matching risers, 24")	1749.99
ISTAGE12832	32" high complete stage system (6 matching risers, 32")	1789.99
192 Square Ft Stage – 12'x16' Stage System (12 - 4'x4' carpeted platforms)		
ISTAGE12168	8" high complete stage system (12 matching risers, 8")	3289.99
ISTAGE121616	16" high complete stage system (12 matching risers, 16")	3369.99
ISTAGE121624	24" high complete stage system (12 matching risers, 24")	3499.99
ISTAGE121632	32" high complete stage system (12 matching risers, 32")	CALL
288 Square Ft Stage – 12'x24' Stage System (18 - 4'x4' carpeted platforms)		
ISTAGE12248	8" high complete stage system (18 matching risers, 8")	CALL
ISTAGE122416	16" high complete stage system (18 matching risers, 16")	CALL
ISTAGE122424	24" high complete stage system (18 matching risers, 24")	CALL
ISTAGE122432	32" high complete stage system (18 matching risers, 32")	CALL
6" Drum Riser		
ISDRUM6X6	6'x6', 6" high drummer's platform – 3'x3' carpeted platforms (4) & 6" legs (20)	599.99
ATA Flight Cases for Systems (sold separately)		
ISC6X3X3C	Flight case – fits 6 3'x3' platforms & 6 pcs of matching risers	519.99
ISC6X4X4C	Flight case – fits 6 4'x4' platforms & 6 pcs of matching risers	749.99

INTELLISTAGE STAGE ACCESSORIES

Complete any riser system with stage skirts and additional hardware.

ITEM	DESCRIPTION	PRICE
ISSK8X8	8 ft by 8 ft stage skirt	65.00
ISSK8X16	8 ft by 16 ft stage skirt	75.00
ISSK8X24	8 ft by 24 ft stage skirt	90.00
ISSK8X32	8 ft by 32 ft stage skirt	100.00
ISSKRTCLIPX8	Stage skirt clips, 8 pack	22.00
IS6LEGX10	Drum riser feet	50.00
ISSTCUP	Riser leveling cups, 25 pack	29.99
ISSJ	Connecting hardware for platforms and steps	29.99

INTELLISTAGE RAMPS

These equipment and wheelchair ramps allow easy access to the stage. Ramps consist of metal frames, adjustable legs and the modular design allows the flexibility to easily upgrade when stage heights change. All ramp packages are available in the following finishes: carpet, tuffcoat, industrial (industrial coat models below). All wheelchair ramps have a 1:12 slope ratio and guard rails. For more ramp options please see the custom stage-builder at www.intellistage.com or call for more info.

ITEM	DESCRIPTION	PRICE
Straight Ramps		
IS16RI	Equipment ramp for 16" high stages, industrial coat finish	1499.99
IS24RIGR	Equipment ramp for 24" high stages w/guard rails, ind.coat finish	3499.99
IS32RIGR	Equipment ramp for 32" high stages w/guard rails, ind.coat finish	CALL
IS8RWI	Wheelchair ramp for 8" high stages, industrial coat finish	2199.99
IS16RWI	Wheelchair ramp for 16" high stages, industrial coat finish	CALL
Straight Ramps w/ Landing		
IS16RLI	Equipment ramp for 16" high stages w/landing, industrial coat finish	2199.99
IS24RLI	Equipment ramp for 24" high stages w/landing, industrial coat finish	2899.99
IS24RLIGR	Equipment ramp for 24" stages w/landing, guard rails, ind.coat finish	CALL
IS16RLWI	Wheelchair ramp for 16" high stages w/landing, industrial coat finish	CALL

INTELLISTAGE CHORAL RISERS

TuffCoat and industrial finishes are also available by special order. Create a custom stage online at intellistage.com or call for full riser options.

ITEM	DESCRIPTION	PRICE
ISCR12C	18" wide three-tier choral riser package - carpet finish, straight configuration, holds 12 performers	599.99
ISCR36C	18" wide three-tier choral riser package - carpet finish, straight configuration, holds 36 performers	1799.99
ISCR60C	18" wide three-tier choral riser package - carpet finish, straight configuration, holds 60 performers	2999.99
ISCRW24C	18" wide three-tier choral riser package - carpet finish, winged configuration, holds 24 performers	1199.99
ISCRSC60C	18" wide three-tier choral riser package - carpet finish, semicircular configuration, holds 60 performers	2999.99

FOR MORE INTELLISTAGE PRODUCTS, VISIT OUR WEBSITE

FULLCOMPASS.COM

CALL TO WORSHIP!

CALL TO WORSHIP!

National Public SEATING Corp.

SHOWN WITH OPTIONAL GUARD RAILS

NATIONAL PUBLIC SEATING RISERS

The Trans-Port riser unit eliminates the need to set up multi level risers. It is an all-in-one 3-level carpeted choral riser that is easy to transport with built-in wheels and allows for quick set up. It has 14-gauge steel legs & aluminum frames, keeping it lightweight & strong. Standard standing risers are also easy to set up & allow for quick arrangement. Units easily attach to one another to provide multi-level heights. Available in both straight & tapered units, allowing for continuous or semi-circle arrangements. Come with red, green, gray, or blue carpeting. Guard rails (black) are recommended to ensure safety and are easy to assemble/install. Please note: most of these items are too large to ship UPS. Please allow minor lead time for us to provide you an accurate freight estimate based on your needs.

ITEM	DESCRIPTION	PRICE
Trans-Port 3-Level Choral Risers (choose color)		
TP72	Straight, 23"W x 72"L x 22"H	682.29
TPR72	Tapered, 23"W x 72"L x 22"H	682.29
GRTPR	Guard rail for TP72 & TPR72	119.52
Straight Standard Risers with Carpet (choose color)		
RS8C	18"W x 96"L x 8"H	250.29
RS16C	18"W x 96"L x 16"H	271.00
RS24C	18"W x 96"L x 24"H	274.12
RS32C	18"W x 96"L x 32"H	282.49
RS2LC	2-levels (includes RS8C, RS16C)	521.29
RS3LC	3-levels (includes RS8C, RS16C, RS24C)	795.41
RS4LC	4-level (includes RS8C, RS16C, RS24C, RS32C)	1077.90
Tapered Standard Risers with Carpet (choose color)		
RT8C	18"W x 60"L x 8"H	179.55
RT16C	18"W x 66"L x 16"H	196.36
RT24C	18"W x 72"L x 24"H	210.55
RT32C	18"W x 78"L x 32"H	227.43
RT2LC	2 level (includes RT8C, RT16C)	365.99
RT3LC	3 level (includes RT8C, RT16C, RT24C)	593.71
RT4LC	4 level (includes RT8C, RT16C, RT24C, RT32C)	830.24
Guard Rails for Risers (black)		
GRR24S	Guard rail for 24"H straight riser	122.70
GRR32S	Guard rail for 32"H straight riser	130.48
GRR24T	Guard rail for 24"H tapered riser	110.12
GRR32T	Guard rail for 32"H tapered riser	117.91
Side Guard Rails (black) for Standard Risers		
SGR2L	Guard rail for 2 levels	55.06
SGR3L	Guard rail for 3 levels	59.72
SGR4L	Guard rail for 4 levels	64.64

NATIONAL PUBLIC SEATING STAGES

Built with 16-gauge steel frames & premium grade plywood core, these carpeted stages are durable & portable. Legs are made with 14-gauge tubular steel & outfitted with spring-loaded easy to open & close support brackets, for quick setup & safe use. Carpeted surfaces are available in blue, green, red, & gray.

ITEM	DESCRIPTION	PRICE
Stage with Carpeted Surface		
S368C	36W x 96L x 8H	364.67
S3616C	36W x 96L x 16H	394.17
S3624C	36W x 96L x 24H	410.58
S3632C	36W x 96L x 32H	421.95
S488C	48W x 96L x 8H	508.55
S4816C	48W x 96L x 16H	537.81
S4824C	48W x 96L x 24H	550.02
S4832C	48W x 96L x 32H	571.03
Stage Set		
SST36C	36", includes S368C, S3616C, S3624C, & 2 guard rails	1288.81
SST48C	48", includes S488C, S4816C, S4824C, & 2 guard rails	1715.84
Stage Configuration		
SCRC36C	36", 3 sets of SST36C, 4 sets of SPST36C, & guard rails	CALL
SBRC48C	48", 3 sets of SST48C, 4 sets of SPST48C, & guard rails	CALL
Stage Pie with Carpeted Surface		
SP368C	36", for 36W x 8H stage	221.45
SP3616C	36", for 36W x 16H stage	311.28
SP3624C	36", for 36W x 24H stage	419.19
SP488C	48", for 48W x 8H stage	259.15
SP4816C	48", for 48W x 16H stage	361.07
SP4824C	48", for 48W x 24H stage	774.87
Stage Pie Set		
SPST36C	36", includes SP368C, SP3616C, SP3624C	939.65
SPST48C	48", includes SP488C, SP4816C, SP4824C	1395.10
Steps for Stages		
STP16	Step (1) for 16"H stage	208.28
STP24	Steps (2) for 24"H stage	311.22
STP32	Steps (3) for 32"H stage	407.69
Guard Rails for Stages		
GRS30	30"W guard rail	49.80
GRS36	36"W guard rail	52.96
GRS48	48"W guard rail	59.72
Stage Skirting		
SS8	shirred pleat skirting for 8"H stage	13.58
SS16	shirred pleat skirting for 16"H stage	13.58
SS24	shirred pleat skirting for 24"H stage	14.78
SS32	shirred pleat skirting for 32"H stage	17.60
SB8	box pleat skirting for 8"H stage	16.63
SB16	box pleat skirting for 16"H stage	16.63
SB24	box pleat skirting for 24"H stage	18.20
SB32	box pleat skirting for 32"H stage	21.25
Stage Storage/Transport		
SDL	Stage dolly for 36"W & 48"W stages	588.92

HAMMOND

HAMMOND XK3C VINTAGE B3 SOUND KEYBOARD This expandable instrument does what has never been done before – offering you the classic 'tone wheel' sound by utilizing 96 digital tone wheels. The new VASE III sound generator now makes it possible to reproduce all of the characteristics of the vintage Hammond B-3, and it features 2 vacuum tubes in the audio path that will change continously from 'preamp mode' to 'overdrive mode' via control knob. It also includes 12 reverse-color key presets, 3 sets of drawbars, a digital Leslie and scanner vibrato, and 10 modes of reverb. It also has upper and lower split vibrato, and front panel real-time MIDI controllers for integrating with software environments.

ITEM	DESCRIPTION	PRICE
XK3C	73-key electronic keyboard, walnut finish	2495.00

KURZWEIL

SP2

KURZWEIL SP2 / SP2X STAGE PIANOS The SP2 & SP2X feature hammer-action stage keyboards with velocity-sensitive adjustable keys. They feature the next generation of Kurzweil sound design from their best Triple Strike Grand Piano collection, & a variety of EP's, strings, pads, mallets, & voices. They are ideal for songwriting as they include 64 pre-recorded drum groove rhythms & an adjustable metronome. Other common features include 64-voice polyphony, 64 factory presets, pitch & mod wheels, 4 front panel knobs, a dual-effects processing section with over 58 reverbs, 6 delays, 10 choruses, distortion, & other types of effects. Connections include USB port for OS updates, 2 1/4" TRS analog outputs (24bit DACs), 1/4" headphone output, MIDI in/out/thru ports, dual-switch & continuous control pedal inputs.

ITEM	DESCRIPTION	PRICE
SP2	76-key semi-weighted hammer-action stage piano	999.00
SP2X	88-key fully-weighted hammer-action stage piano	1099.00

nord

NEW!

NORD STAGE 2 PIANO/ORGAN/SYNTH These models feature Nord's latest sound generation technology, 500MB of internal sample memory, sample library functionality and more. Its organ sounds are 3rd gen modeling based on the C-2 tonewheel and transistor organ with new rotary speaker emulation. The piano section includes 500MB of memory, 54 piano samples that feature string resonance, dynamic pedal noise and user-replaceable memory compatible with Nord v5 piano library. The synth features 380MB memory, arpeggiator, 18 voices, extended subtractive with FM synthesis, wavetable and sample playback (nsmp format integrated in synth). Manipulate sounds with a flexible effects section or download new sounds via USB. Also features MIDI over USB, monitor input, MIDI sync/global master clock, and master clock for the LFO, arpeggiator and delay. Compatible with the Nord Sample library and with the Nord Sample Manager software, sample-based programs can be created.

ITEM	DESCRIPTION	PRICE
NS2-COMPACT	73-key medium-action stage piano/organ/synth	CALL
NS2-76	76-key weighted-action stage piano/organ/synth	CALL
NS2-88	88-key weighted-action stage piano/organ/synth	CALL

NORD C2 COMBO ORGAN A digitally modeled vintage organ with the addition of a baroque pipe organ section. Some features include, 2x 61-medium-weighted waterfall keys, 20 digitally controlled drawbars (6 presets per program location), percussion controls, 2 bass register drawbars with toneweheel/synth bass/pipe organ bass, 3rd generation B3 modeling (91 modeled tonewheels), enhanced click sound, easy to use sound manager, effects and more. Connections include stereo headphone out, 1/4" line level outs L/R, high level outs (11-pin Leslie connector & 1/4"), 1/8" monitor in, 1 each of a sustain pedal/rotor control/swell pedal 1/4" connectors, MIDI I/O, MIDI Bass pedal in and USB.

ITEM	DESCRIPTION	PRICE
C2	Combo organ	2999.00

Roland

RD-700NX

ROLAND RD SERIES STAGE PIANOS These 88-key digital pianos offer 128-voice polyphony, SuperNATURAL® piano sound engines derived from V-Piano modeling technology, audio playback of WAV, AIFF, and MP3 files directly from USB keys, the ability to connect directly to PC via USB and use the included Sonar LE multi-track software. The RD-300NX features a dedicated E.Piano, 78 types of multi-effects, 200 sound sets and 200 rhythm patterns. I/O includes L/R 1/4" stereo phone outs, 1/4" damper and control jacks, 1/4" headphone jack, USB connectors, and MIDI I/O. The RD-700GXF adds 17 new pianos from the previous GX model, PHA II ivory feel keyboard, 256MB wave memory, 124 types of multi-effects, 150 arpeggiator styles, 3 MIDI outputs, 242 tones, and (2) SRX series expansion board slots. The RD-700NX's SuperNATURAL® piano sound engine has 3 grand piano types and 10 types of electric piano sounds. It also features Sound Focus which ensures note and tone clarity, can store 100 Live Sets, 242 tones, 256GM2 tones, 5 rhythm sets, and 9 GM2 rhythm sets. Balanced XLR outs, 2x MIDI OUT, 1x MIDI IN/THRU can be found on the 700NX.

ITEM	DESCRIPTION	PRICE
RD300NX	88-key digital stage piano w/ ivory feel keyboard	CALL
RD700GXF	88-key digital stage piano w/ PHAII ivory feel keyboard	CALL
RD700NX	88-key digital stage piano w/ PHAIII ivory feel keyboard	CALL
KRD700GX1	Expansion piano kit	CALL
KS-G8	Keyboard stand	CALL
RPU3	Grand piano-style 3-pedal unit w/3x 1/4" output plugs	CALL

YAMAHA

CP5

YAMAHA STAGE PIANOS The CP1 flagship features 17 types of customizable acoustic and vintage electric pianos generated by true FM technology on a dedicated DSP chip for high quality sound. It also features a wooden weighted keyboard, 55 character display, 6 knobs, 128 note polyphony, speaker simulation, modeled mic preamps, master keyboard function, effects, and pitch bend wheel. Connections include foot switch, foot controller x2, MIDI in/out/thru, USB to host/device, headphone, L/MONO, R (Unbalanced) and L, R (Balanced). The CP5 has 17 sampled FM acoustic sounds, 305 AWM2 synths & effects, mic input, rhythm patterns for a wide range of musical applications, and gain master EQ controls. The CP50 is a lightweight, compact piano with a weighted & graded hammer action keyboard. It has 12 sampled FM acoustic and vintage electric piano sounds, 215 AWM2 sytnhs & effects, rhythm patterns, 128 note polyphony, customize function, master keyboard function, and pitch bend wheel. Connections are foot switch, foot controller x1, MIDI in/out/thru, USB to host/device, headphone, and L/MONO,R (Unbalanced). Each includes power supply & Steinberg Cubase AI DAW software.

ITEM	DESCRIPTION	PRICE
CP1	88-key stage piano, pedal unit, software, power cord	CALL
CP5	88-key stage piano, foot pedal, software, power cord	CALL
CP50	88-key compact stage piano, foot pedal, software, power adapter	CALL

GCS-LP

GROUND CONTROL SURFACES For years, musicians have struggled to find a way to keep pedals from relocating themselves around the stage. Whether it was duct tape, jamming the pedal into one of the stand's corners, telekinesis or super glue- solutions were ad hoc, messy and frequently ineffective. Ground Control Surfaces are designed to allow musicians to attach their otherwise migratory pedals and electronics onto a single Performance Surface™, organizing them all in one place and dramatically reducing down time.

ITEM	DESCRIPTION	PRICE
GCS-LP	Launch Pad standard surface, fits most X/Z type stands, 24" x 36"	149.99
GCS-LZ	Landing Zone micro surface, use with any stand, 12" x 18"	99.99
GCS-ST	Stealth performance surface, for the Ultimate Support VS80 series	149.99
GCS-VL	Velocity performance surface, for the Ultimate Support AX90 series	299.00

motion sound

MOTION SOUND PRO SERIES ROTARY AMPS The PRO-3X adds an actual mechanical rotary horn to an existing keyboard amp for rich 3D sound, while the PRO-145 is designed specifically for modern compact organs and also features a mechanical rotary horn. The PRO-3X includes an adjustable low rotor simulator 1/4" out for classic organ sound, fast/slow/stop speed control, 800Hz crossover, variable mode FET preamp, treble and mid EQ, 1/4" line in, 1/4" pedal in, and 1/4" mix out. The PRO-145 includes fast/slow/stop speed control, dual 1/4" line ins with pre gain and mode controls, 800Hz crossover, bass/mid/treble/high cut, horn volume, master volume, 2 horn mics, 1 horn mic, 3 XLR outs, 12" low rotor speaker, MS 1.2 rotary horn driver and a removable caster set.

ITEM	DESCRIPTION	PRICE
PRO-3X	45W keyboard amp with rotary horn	799.00
PRO-145	200W keyboard amp with rotary horn	1699.00

CALL TO WORSHIP!

CALL TO WORSHIP!

Ampeg

SVT7PRO

AMPEG SVT PRO SERIES The SVT-7PRO pumps out 1,000W in a compact design that weighs just 15 lbs. Features a JJ 12AX7 tube preamp, Class D power section, a flexible 5-position mid tone control, remote switching FX loop and a variable compressor. The SVT-8PRO is the most powerful Ampeg head ever; delivering 2500 watts @ 2 ohms in a 23 lb., 2RU package. The tube preamp, 5-poisition Ultra Low selector, and speaker emulation circuitry allows you to dial in classic SVT overdriven tones at any volume level. I/O for both models includes 1/4" tuner out, XLR direct out, 1/4" preamp out, 1/4" power amp in, 1/4" footswitch jack, 1/4" send and return, and 2 Speakon speaker outs.

ITEM	DESCRIPTION	PRICE
SVT7PRO	Bass amp head, 1000W @ 4ohms, tube preamp, Class D power section	799.99
SVT8PRO	Bass amp head, 1300W @ 4ohms, tube preamp, Class D power section	2399.99

PN-410HLF

AMPEG PRO NEO SERIES BASS CABINETS Modern, lightweight bass enclosures built to handle the power of high-output Ampeg bass heads. Designed and assembled in the U.S.A. out of the highest quality components, including custom-designed neodymium Eminence woofers, to deliver high-quality, high-output bass in a modern design.

ITEM	DESCRIPTION	PRICE
PN410HLF	4x10" cab, 1" HF driver w/ level control, 850W @ 8ohms	1099.99
PN210HLF	2x10" cab, 1" HF driver w/ level control, 550W @ 8ohms	799.99
PN115HLF	1x15" cab, 1" HF driver w/ level control, 575W @ 8ohms	799.99

Fender

FENDER AMERICAN SPECIAL GUITARS

STRAT-AMSPC-MN

SEE PAGE 420

FENDER CALIFORNIA SERIES ACOUSTIC GUITARS

SONORAN-SCE

SEE PAGE 421

MUSTANG IV

FENDER MUSTANG™ GUITAR AMPLIFIERS NEW! These amps feature amp models and built-in effects and come equipped with USB connectivity and Fender® FUSE™ software, allowing your musical creativity and imagination to run wild. All amps include 1/8" AUX in, 1/8" headphone/speaker simulated line out, USB port, and black textured "Carbon Tweed" covering w/silver grille cloth.

ITEM	DESCRIPTION	PRICE
MUSTANG-I	20W, 1x8" Fender® Special Design Speaker	99.99
MUSTANG-II	40W, 1x12" Fender® Special Design Speaker	199.99
MUSTANG-III	100W, 1x12" Celestion® G12T-100 Speaker, w/programmable 2-button footswitch	299.99
MUSTANG-IV	150W (2x75W stereo), 2x12" Celestion® G12P-80 Speakers, w/4-button footswitch	499.99
MUSTANG-V-HEAD	150W (2x75W stereo) amp head, w/4-button footswitch	299.99
MUSTANG-V412-CAB	4x12" cabinet w/Celestion® Rocket 50 Speakers, 100W per side stereo, (2) 1/4" 8 ohm speaker inputs running in stereo, one jack used alone = 4 ohms mono (all 4 speakers in parallel)	299.99
099-4049-000	Optional 1-button footswitch for Mustang I/II	19.99

FISHMAN®

NEW!

FISHMAN LOUDBOX MINI ACOUSTIC AMPLIFIER Fishman's lightest and most portable amp yet, it packs 60W of clean acoustic power, and has two channels featuring Fishman's preamp and tone control designs, plus digital reverb and chorus for the instrument channel and reverb for the microphone channel. The Loudbox Mini also sports an MP3 input and balanced XLR D.I. output.

ITEM	DESCRIPTION	PRICE
LOUDBOX-MINI	60W acoustic amp w/XLR mic input, 6.5" woofer, 1" tweeter	299.95

CLOSEUP OF FRONT PANEL

FISHMAN SA220 SOLO PERFORMANCE SYSTEM Designed for singer/songwriters, the SA220 provides exceptional sound quality and coverage in a variety of venues. 220W of clean power drives a line array of six custom 4" high-excursion speakers and 1" neodymium soft dome tweeter. This unique combination delivers full sound, ultra-wide dispersion and deep sonic penetration. Features 2 mic/instrument channels, phantom power, 3-band EQ, 4 digital reverb effects with master level, effect loop, XLR DI outputs for channels and main mix, aux stereo input, feedback-fighting phase and notch filters. Stand and padded carry bag w/ wheels included.

ITEM	DESCRIPTION	PRICE
SA220	Portable line array/guitar amp	999.95

GK GALLIEN-KRUEGER

MB212-COMBO

GALLIEN-KRUEGER MB COMBO POWER AMPS Newcomers to G-K's MicroBass Series, these amp enclosure speakers are identical to the similarly numbered MBE counterparts (112MBE, 115MBE). The digital power amp section features a defeatable limiter, active 4-band EQ with contour, a headphone jack, an 1/8" aux input, and an XLR direct output. Speakon output featured on the MB210 & MB212 models.

ITEM	DESCRIPTION	PRICE
MB112-COMBO	Amp/speaker w/ 200W digital power amp, 12" speaker	339.00
MB115-COMBO	Amp/speaker w/ 200W digital power amp, 15" speaker	399.00
MB210-COMBO	Amp/speaker w/ 350W at 8 ohms digital pwr amp, two 10" spkrs	599.00
MB212-COMBO	Amp/speaker w/ 500W digital power amp, two 12" speakers	699.00

Hartke®

AC150

HARTKE AC75/150 ACOUSTIC RIBBON AMPLIFIERS Designed in a precision-tuned Kickback™ enclosure, with 4(AC150) or 2(AC75) custom-voiced 5" full range drivers which naturally recreate the sound of the acoustic instrument without adding any unwanted coloration or distortion. A 2" by 4" ribbon tweeter adds clarity and overtones to the high end. Channel 1 has active and piezo instrument inputs with bass and treble controls, while channel 2 has XLR mic and RCA line inputs. There is a 5-band graphic EQ and a built-in 100 preset 24bit digital effects processor, which can be routed to either channel. To reduce feedback, there is a phase switch on channel 1 as well as a variable notch filter with depth control. On the rear panel of the amplifier there is an effects loop, and XLR direct outputs.

ITEM	DESCRIPTION	PRICE
AC75	2x5", 2"x 4" ribbon combo amp, 75W	349.00
AC150	4x5", 2"x 4" ribbon combo amp, 150W	449.00

LAG GUITARS T66 SERIES STEEL-STRING ACOUSTIC GUITARS

SEE PAGE 422

VOX SERIES 33, 55, & 77 ELECTRIC GUITARS

SEE PAGE 425

Roland

ROLAND AC SERIES ACOUSTIC GUITAR AMPLIFIERS

The AC60 & AC90 use DSP for lush stereo/multi-band chorus- including a new 'wide' mode, plus delay/reverb and auto anti-feedback control. The 'wide' mode is replaced with a 3D ambient effect on the AC33. The 2-channel design has a guitar input and a mic/line input (phantom power on AC60 & AC90 only). Mute switch for silent tuning on stage (not on AC33). Features a built-in tilt stand and mountable on commercial speaker stands. The AC33 has XLR, 1/4", RCA & stereo 1/8" ins, L/R 1/4" line outs, 1/4" headphone, and 1/4" footswitch jacks. The AC60 & AC90 have 1/4", XLR-1/4" combo in, stereo RCA & 1/4" AUX ins, L/R XLR line outs, 1/4" mono line out, 1/4" sub out, 1/4" DI out, and 1/4" footswitch jacks.

ITEM	DESCRIPTION	PRICE
AC33	30W stereo AC/battery powered chorus amp w/ 40 sec phrase looper	CALL
AC60	30W stereo, dual 6.5" speakers, w/ carrying bag	CALL
AC90	45W stereo, dual 8" speakers, dual tweeters, w/ carrying bag	CALL

VOX AGA SERIES ACOUSTIC GUITAR AMPLIFIERS

70W and 150W amp models feature 2 channels (Normal and Tube Pre), each equipped with a standard guitar and mic input with selectable phantom power. An additional Lo-Z/Hi-Z switch accommodates a variety of signal levels. The Tube Pre channel features a 12AU7 dual-triode tube, giving your guitar or vocal the roundness and warmth distinctive of tube sound. Working with the traditional EQ, the color knob allows you to quickly shift the tonal response to match your performance. The chorus effect is selectable via a switch; and the Reverb can be added in any amount with the dedicated control. Both include L/R 1/4" line inputs, AUX in, DI (balanced XLR) output, tuner output, and Anti-Feedback control. Optional VFS2 footswitch controls Effects Bypass or All Mute functions.

ITEM	DESCRIPTION	PRICE
AGA70	Acoustic guitar amp w/ mic input, 70W, 6.5" full-range speaker	399.99
AGA150	Acoustic guitar amp w/ mic input, 150W, 6.5" speaker, 1" tweeter	599.00
VFS2	Optional 2-button footswitch	25.99

SQUIER VINTAGE MODIFIED JAGUAR BASS



SEE PAGE 424

YAMAHA A-SERIES ACOUSTIC GUITARS

SEE PAGE 425

DRUM & PERCUSSION PRODUCTS

SEE PAGE 418

ZOOM G3 GUITAR EFFECTS PROCESSOR & AMP SIMULATOR

NEW!

Combines the ease of a stompbox with features of a multi-effects pedal. Three footswitches with large LCD displays create a graphical interface for easy use and manipulation of up to three amp simulations or effects in any combination. It's precise amp modeling and over 100 built-in effects can be used to craft and store up to 100 of sounds. It's also a USB audio interface, allowing easy recording to a computer. It ships with Zoom's Edit & Share preset software and Steinberg Sequel LE recording software. Other features include a looper function with 40 seconds of phrase recording and overdubbing, integrated drum machine, 1/4" input, 1/4" R & L/MONO (headphones) outs, XLR out, 1/4" control in for an external expression pedal and USB out.

ITEM	DESCRIPTION	PRICE
G3-ZOOM	Effects processor/amp modeler, USB	199.00

CALL TO WORSHIP!

PEARL EPRO LIVE ELECTRONIC DRUM SET
FOR MORE INFO, SEE PAGE 412

YAMAHA GIGMAKER DRUM SET
FOR MORE INFO, SEE PAGE 415

ROLAND TD-12KXS
FOR MORE INFO, SEE PAGE 413

YAMAHA STAGE CUSTOM BIRCH DRUM SET
FOR MORE INFO, SEE PAGE 415

DW DRUMS PERFORMANCE SERIES
FOR MORE INFO, SEE PAGE 411

ZILDJIAN AE CYMBALS
FOR MORE INFO, SEE PAGE 417

CALL TO WORSHIP!

Tenemos ventas y servicio en Español.
Expertos que hablan Español disponibles en x1178 y x1164.

Honesty and Value since 1971